LAMONT-DOHERTY GEOLOGICAL OBSERVATORY
of Columbia University
Palisades, New York



# SEA FLOOR GEOTHERMAL MEASUREMENTS FROM VEMA CRUISE 26

by

Marcus G. Langseth, Jr.
Isabel Malone
Lois K. Ongley
R. John Fiske, III
Charles A. Bookman

January 1974

Technical Report No. 7-CU-7-74
ONR Contract N00014-67-A-0108-0004

and

Technical Report No. 3-CU-3-74
National Science Foundation Grant GA1412

*


INSET
WATER PROFILE AND HEAT FLOW MEASUREMENT
WATER PROFILE ONLY
HEAT FLOW MEASUREMENT ONLY
CONDUCTIVITY MEASUREMENT ONLY
WATER PROFILE AND CONDUCTIVITY

LAMONT-DOHERTY GEOLOGICAL OBSERVATORY
of Columbia University
Palisades, New York

# SEA FLOOR GEOTHERMAL MEASUREMENTS FROM VEMA CRUISE 26

by

Marcus G. Langseth, Jr.
Isabel Malone
Lois K. Ongley
R. John Fiske, III
Charles A. Bookman

January 1974

Technical Report No. 7-CU-7-74
ONR Contract N00014-67-A-0108-0004

and

Technical Report No. 3-CU-3-74
National Science Foundation Grant GA1412

*

# TABLE OF CONTENTS



## ILLUSTRATION



## TABLES



*

## INTRODUCTION

This report gives results of temperature measurements in the deep ocean water and sea floor sediment, and results of conductivity measurements on sediment cores taken with the temperature measurements. These measurements were made on R/V VEMA cruise 26 beginning at New York on July 23, 1968 and ending at New York on May 19, 1969.

The principal objective of the measurements reported here is to determine the geothermal heat flux through the sea floor (see for example, Bullard, 1954). These measurements are also pertinent to studies of deep and near bottom water temperature in the ocean, as well as steady-state and transient thermal processes at the sediment-water interface. We have attempted, in this report, to present the data in a form that is useful to scientists interested in the thermal regime of the deep ocean.

## INSTRUMENT TECHNIQUE

For a complete description of the instruments and techniques used to measure temperature and conductivity in the deep sea, see Gerard et al. (1962) and Langseth (1965). A summary of the measurement techniques is given below so that the reader can better assess the data.

The Ewing Thermograd: All of the temperature data reported were measured with the Ewing thermograd. This instrument uses an array of

3 to 5 thermistor probes mounted along a coring tube to measure sediment temperatures, a thermistor probe to measure water temperature, and a pressure gauge to indicate the depth of the instrument in the water. The temperature and pressure are recorded on 70 mm film as analog traces. The recorder is placed inside of a pressure case that is secured inside the weight at the top of the piston corer.

Water Temperature Measurements: Water temperatures are measured during lowering and hoisting of the thermograd with a bead-type thermistor that is mounted in a watertight stainless steel probe. The diameter of the probe is about 1.25 mm and its length is 2.5 cm. The probe has a time constant of about 0.5 sec in flowing water. This probe is mounted on the pressure vessel. During lowering, the water probe points downward so that relatively undisturbed water is continually flowing past it. (Lowering rates vary from 100 to 200 meters/minute). Upon hoisting, the probe is in the wake of the core weight. (Hoisting rates are usually 50 to 100 meters/minute.).

The water temperature trace on the 70 mm film record has a displacement of about 2.5 cm per degree centigrade, and the film record is read with a precision of about 0.1 mm. The water probe is calibrated prior to use at sea in a constant-temperature bath at 5 or 6 points with an absolute accuracy of $\pm$ 0.05$^{o}$C. The relative accuracy of calibration between temperature points is about $\pm$ 0.005$^{o}$C.

Instrument Depth Measurements: The depth of the instrument below the sea surface is measured by a pressure gauge. This gauge consists of a cavity exposed to the ambient sea pressure and surrounded by strain-sensitive wires. The linearity of the gauge is about 0.35%. The pressure detected by the gauge is recorded as a separate trace on the 70 mm film record, which has a sensitivity of 1500 m per centimeter displacement. Thus, the resolution of the record is about 15m. Depths during lowering are found by a linear interpolation between the surface and bottom readings which results in an accuracy of depth measurement of about ± 25 m.

Sediment Temperatures: Temperatures at up to five points below the sediment-water interface are measured by means of thermistor probes mounted along the core tube. The thermistor is in the end of a stainless steel probe 0.317 cm in diameter. This probe is pressure proof and mounted on a steel fin so that it is held about 5 cm from the core tube. The probe itself is secured in a plastic (PVC) collar that provides thermal insulation from the fin. The tip of the probe projects about one inch beyond this collar.

To measure sediment temperatures the corer is lowered to within about a hundred meters of the bottom and held for a few minutes to allow the probes to equilibrate in the nearly isothermal near bottom water. The corer is then lowered until bottom contact is made. Upon contact, the corer free-falls about 10 ft., penetrating the sediment to depths up to

25 meters. The corer is left undisturbed in the sediment for about 5 minutes, while temperatures are recorded as the probes equilibrate with the sediment. The corer is then extracted from the sediment and hoisted back to the ship.

The sediment probes are calibrated in the same way as the water probe described earlier. Temperature gradients in the sediment, which are of prime interest, are determined by taking the difference between measurements in the water near the bottom and in the sediment after equilibration. Thus, in determining gradients we depend only on the relative calibration accuracy which is $\pm 0.005^{o}C$.

Conductivity Measurements: Measurements of thermal conductivity are made on the sediment core samples aboard the research ship about one hour after the core has been extruded from the core tube. A thin probe is imbedded in the sediment and the temperature measured while the probe is heated at a constant rate. We use a probe about 6 cm in length and 0.8 mm in diameter that contains a 50 $\Omega$ heater wire and a thermistor. The probe is inserted into the 2.5 inch sediment sample at an angle of about $45^{o}$ to the long axis of the core. Six volts are applied to the heater and the temperature rise is recorded on a Varian strip-chart recorder for about two minutes.

Reduction of Thermograd and Conductivity Data: The trace displacements on the 70 mm thermograd film record are measured on a

projected image of the film on the surface of a digitizing table. The magnification is about 4 times. The minimum digitizing increment of this table is 0.01". The digitized trace displacements corresponding to water and mud temperatures and instrument depth are entered on computer punch cards, which are converted into temperature versus depth information with an IBM 1130 computer.

The conductivity measurements are reduced by manually reading displacements from the strip chart records. Displacement versus resistance calibration made on board ship, and temperature versus resistance calibration of the thermistor are used to convert displacements into temperature. Readings are taken approximately every 10 seconds after the probe heater is turned on. These temperatures are then plotted versus the logarithm of time. The slope of these semi-log plots can be interpreted in terms of conductivity by means of the following relation.

$$K = \frac{Q \cdot \ln(t_2/t_1)}{4\pi (T_2 - T_1)}$$

where

$Q$ = the heater power per unit length in cal/cm sec

$t_2$ and $t_1$ are times after heater turn-on usually 10 and 100 seconds

$T_2$ and $T_1$ are temperatures at $t_1$ and $t_2$.

## PRESENTATION OF THE DATA

Summary Table: The thermal data relevant to the geothermal heat flux are given for each station in Table 1.

The depths are given in corrected meters, determined by taking the depth indicated by the Precision Depth Recorder at the time of the core contact and correcting for the velocity of sound in water using Matthews (1939) tables.

The gradient refers to the vertical gradient in the sediment determined from temperature measurements in the sediments. Units are $^{o}C/10$ m.

The listed conductivity value is the harmonic mean $N/\sum_{i=1}^{N}(1/X_i)$

where N is the total number of measurements and $X_i$'s are conductivity values, of all the measurements within the interval of gradient measurement. Units are mcal/$^{o}$C sec cm.

Heat flow is the product of the gradient and the conductivity. The units are $\mu$cal/cm$^2$ sec.

The evaluation is a subjective index applied by the authors to indicate our appraisal of the reliability of the gradient and conductivity measurements. The numbers are interpreted in Table 2.

Table 1

VEMA 26 GEOTHERMAL DATA

| Latitude | Longitude | Depth M | Grad. | Cond. | Heat Flow | T'Grad Eval. | Core # | Stn. # |
|---|---|---|---|---|---|---|---|---|
| 32°37'N | 59°10'W | 4907 | 0.34 | 1.99 | 0.68 | 8 | 1 | 4 | 8 |
| 32°42' | 52°35' | 5209 | 0.42 | 1.89 | 0.79 | 8 | 2 | 6 | 10 |
| 32°36' | 52°04' | 5161 | 0.37** | 1.66 | 0.61 | 6 | 3 | 7 | 11 |
| 29°54' | 45°07' | 3244 | 0.13** | 2.36 | 0.30 | 5 | 4 | 13 | 18 |
| 29°48' | 45°11' | 2606 | - | 2.38 | - | - | 5 | 14 | 19 |
| 30°21'N | 44°54'W | 3889 | 0.57 | 2.51 | 1.43 | 7 | 6 | 15 | 20 |
| 30°13' | 45°06' | 3853 | 0.56 | 2.02 | 1.13 | 8 | 7 | 16 | 21 |
| 26°21' | 40°56' | 4695 | 0.62 | 2.34 | 1.45 | 4 | 8 | 22 | 26 |
| 16°38' | 31°06' | 4894 | 0.46 | 2.13 | 0.98 | 8 | 9 | 37 | 41 |
| 16°33' | 31°34' | 5053 | 0.29 | 1.92 | 0.56 | 3 | 10 | 39 | 43 |
| 19°40'N | 26°07'W | 4550 | 0.41 | 2.30 | 0.94 | 10 | 11 | 40 | 44 |
| 19°17' | 26°07' | 4387 | 0.62 | 2.27 | 1.41 | 7 | 12 | 41 | 45 |
| 19°17' | 26°07' | 4387 | - | 2.22 | - | - | 13 | 43 | 47 |
| 9°34' | 18°11' | 2899 | 0.45 | 2.02 | 0.91 | 9 | 14 | 46 | 50 |
| 6°36' | 18°08' | 4901 | 0.65 | 1.77 | 1.15 | 8 | 15 | 47 | 51 |
| 5°50'N | 17°51'W | 4629 | 0.61-0.36* | 2.00 | 1.17-0.80 | 7 | 16 | 49 | 53 |
| 6°16' | 17°55' | 4874 | 0.60 | 1.94 | 1.16 | 7 | 17 | 50 | 54 |
| 6°02' | 18°15' | 4600 | - | - | - | - | 18 | 51 | 55 |
| 5°50' | 18°05' | 4910 | 0.63 | 1.87 | 1.18 | 8 | 19 | 52 | 56 |
| 5°28'S | 11°56' | 2906 | 1.00 | 2.06 | 2.06 | 7 | 20 | 54 | 58 |
| 11°36'S | 15°34'W | 3380 | 0.80 | 2.28 | 1.82 | 7 | 21 | 55 | 59 |
| 16°16' | 22°15' | 4819 | 0.14 | 1.69 | 0.24 | 8 | 22 | 56 | 60 |
| 23°58' | 37°57' | 3620 | - | 2.09 | - | - | 23 | 63 | 67 |
| 24°53' | 33°33' | 5099 | - | 1.64 | - | - | 24 | 64 | 68 |
| 26°42' | 27°52' | 4371 | - | 2.26 | - | - | 25 | 65 | 69 |
| 30°52'S | 17°51'W | 3936 | - | 2.36 | - | - | 26 | 70 | 74 |
| 28°36' | 20°41' | 4505 | - | 1.88 | - | - | 28 | 74 | 77 |
| 28°29 | 20°26' | 4666 | - | 1.72 | - | - | 29 | 76 | 79 |
| 28°19' | 20°54' | 4311 | - | 2.06 | - | - | 30 | 77 | 80 |
| 25°10' | 25°16' | 5039 | - | 1.81 | - | - | 31 | 79 | 82 |

*Gradient of 0.61°C/10m measured between 3.61m and 7.43m and 0.36°C/10m between 7.43m and 12.38m.

** Gradient not uniform with depth.

| Latitude | Longitude | Depth M | Grad. | Cond. | Heat Flow | T'Grad Eval. | Core # | Stn. # |
|---|---|---|---|---|---|---|---|---|
| 29°18'S | 37°16'W | 3880 | 0.48 | 2.41 | 1.16 | 10 | 32 | 83 | 86 |
| 28°20' | 26°39' | 5149 | 0.24 | 1.82 | 0.44 | 10 | 33 | 86 | 89 |
| 28°51' | 26°09' | 5269 | 0.59 | 2.21 | 1.30 | 8 | 34 | 88 | 91 |
| 28°32' | 23°42' | 4548 | 0.38 | 2.14 | 0.81 | 5 | 35 | 89 | 92 |
| 23°38' | 26°09' | 5340 | 0.90 | 2.18 | 1.96 | 10 | 36 | 90 | 93 |
| 21°06'S | 27°37'W | 5365 | 0.33 | 2.01 | 0.66 | 8 | 37 | 91 | 94 |
| 19°34' | 32°21' | 4111 | 0.70 | 2.31 | 1.62 | 8 | 38 | 92 | 96 |
| 16°07' | 33°01' | 4636 | 0.66 | 2.21 | 1.46 | 7 | 39 | 93 | 97 |
| 12°29' | 32°23' | 4614 | 0.64 | 2.21 | 1.41 | 8 | 40 | 94 | 98 |
| 6°09' | 31°03' | 5086 | 0.60 | 2.17 | 1.29 | 10 | 41 | 97 | 101 |
| 2°11'S | 31°04'W | 4673 | 0.65 | 2.42 | 1.57 | 10 | 42 | 98 | 102 |
| 0°23' | 39°08' | 4188 | - | 2.33 | - | - | 46 | 102 | 106 |
| 0°29' | 39°32' | 4003 | - | 2.25 | - | - | 47 | 103 | 107 |
| 0°05' | 41°47' | 3864 | 0.55 | 2.42 | 1.33 | 7 | 48 | 104 | 108 |
| 0°48'N | 43°52' | 4027 | 0.64 | 2.44 | 1.56 | 10 | 49 | 105 | 109 |
| 7°28'N | 46°40'W | 4343 | 0.84 | 2.32 | 1.95 | 6 | 50 | 108 | 112 |
| 10°39' | 50°00' | 4942 | 0.67 | 2.23 | 1.59 | 8 | 51 | 109 | 113 |
| 13°02' | 52°58' | 5136 | 0.75 | 2.29 | 1.73 | 6 | 52 | 110 | 114 |
| 14°46' | 69°18' | 4257 | 0.49 | 2.34 | 1.15 | 7 | 53 | 119 | 123 |
| 14°27' | 68°33' | 4707 | 0.48 | 2.25 | 1.08 | 9 | 54 | 120 | 124 |
| 14°26'N | 68°46'W | 4775 | 0.57 | 2.22 | 1.27 | 10 | 55 | 121 | 125 |
| 16°08' | 74°27' | 3005 | 0.54 | 2.38 | 1.29 | 9 | 57 | 124 | 128 |
| 17°02' | 71°14' | 2208 | 0.71 | 2.37 | 1.67 | 10 | 58 | 125 | 129 |
| 18°33' | 79°27' | 4550 | 0.63 | 2.56 | 1.61 | 6 | 59 | 126 | 130 |
| 19°00' | 81°02' | 6251 | - | 2.42 | - | - | 60 | 127 | 131 |
| 20°27'N | 83°22'W | 3878 | 0.70 | 2.55 | 1.79 | 10 | 61 | 128 | 132 |
| 23°53' | 85°52' | 3462 | 0.44** | 2.25 | 0.99 | 9 | 62 | 130 | 134 |
| 25°24' | 86°22' | 3254 | 0.83 | 2.08 | 1.73 | 3 | 63 | 131 | 135 |
| 24°59' | 88°57' | 3457 | 0.43** | 2.15 | 0.92 | 10 | 64 | 132 | 136 |
| 22°59' | 92°02' | 3568 | 0.44** | 2.10 | 0.92 | 10 | 65 | 133 | 137 |
| 23°02'N | 92°03'W | 3760 | 0.46** | 2.19 | 1.01 | 10 | 66 | 134 | 138 |
| 23°29' | 92°35' | 3357 | 1.20** | 2.16 | 2.59 | 10 | 67 | 135 | 139 |
| 23°27' | 92°36' | 3598 | 1.17** | 2.26 | 2.64 | 10 | 68 | 136 | 140 |
| 25°51' | 92°12' | 2860 | - | 2.31 | - | - | 69 | 137 | 141 |
| 25°32' | 92°33' | 3321 | 0.38** | 2.11 | 0.80 | 10 | 70 | 138 | 142 |

** The gradients given are based on the two deepest temperature measurements in the sediment.

| Latitude | Longitude | Depth M | Grad. | Cond. | Heat Flow | T'Grad Eval. | Core # | Stn. # |
|---|---|---|---|---|---|---|---|---|
| 25°53'N | 92°17'W | 2500 | 0.35** | 2.25 | 0.79 | 9 | 71 | 139 | 143 |
| 23°46' | 93°35' | 3753 | 0.36** | 1.98 | 0.71 | 10 | 72 | 140 | 144 |
| 24°14' | 91°41' | 3742 | 0.59** | 2.38 | 1.40 | 9 | 73 | 141 | 145 |
| 25°50' | 88°08' | 3107 | 0.23** | 2.21 | 0.51 | 10 | 74 | 142 | 146 |
| 24°42' | 86°15' | 3349 | - | 2.03 | - | - | 75 | 143 | 147 |
| 30°09'N | 76°01'W | 4860 | - | - | - | - | 76 | 146 | 150 |
| 27°41' | 74°13' | 4480 | 0.52 | 2.26 | 1.18 | 10 | 77 | 147 | 151 |
| 24°47' | 74°22' | 5048 | 0.45 | 2.27 | 1.01 | 8 | 78 | 148 | 152 |
| 24°57' | 73°30' | 5340 | - | 2.48 | - | - | 79 | 149 | 153 |
| 24°24' | 74°01' | 5150 | - | - | - | - | 80 | 150 | 154 |
| 24°23'N | 73°42'W | 5327 | 0.65 | 2.30 | 1.50 | 6 | 81 | 151 | 155 |
| 24°31' | 73°35' | 5351 | - | 2.40 | - | - | 82 | 152 | 156 |
| 24°30' | 68°34' | 5729 | - | 2.38 | - | - | 83 | 153 | 157 |
| 24°29' | 65°18' | 5803 | 0.61 | 2.22 | 1.34 | 10 | 84 | 154 | 158 |
| 24°28' | 62°30' | 5920 | 0.63 | 2.47 | 1.54 | 8 | 85 | 155 | 159 |
| 27°27'N | 65°16'W | 4872 | 0.54 | 2.18 | 1.18 | 10 | 86 | 156 | 160 |
| 29°46' | 69°53' | 4883 | 0.47 | 2.37 | 1.10 | 10 | 87 | 157 | 161 |
| 31°00' | 67°06' | 4578 | - | - | - | - | 88 | 158 | 162 |
| 31°01' | 67°07' | 4766 | - | - | - | - | 89 | 159 | 162 |
| 29°57' | 68°56' | 5258 | 0.50 | 2.42 | 1.21 | 10 | 90 | 160 | 163 |
| 31°20'N | 67°47'W | 5132 | 0.92 | 2.17 | 2.01 | 5 | 91 | 161 | 164 |
| 29°45' | 68°41' | 5216 | 0.56 | 2.07 | 1.16 | 10 | 92 | 162 | 165 |
| 30°27' | 67°59' | 5161 | 0.56 | 2.17 | 1.22 | 10 | 93 | 165 | 168 |
| 29°55' | 68°43' | 5231 | -* | 2.16 | - | - | 94 | 166 | 169 |
| 30°50' | 67°44' | 5149 | 0.53 | 2.23 | 1.18 | 10 | 95 | 167 | 170 |
| 30°05'N | 68°17'W | 5189 | 0.60 | 2.17 | 1.29 | 10 | 96 | 168 | 171 |
| 31°41' | 69°52' | 5425 | 0.56 | 2.41 | 1.35 | 10 | 97 | 169 | 172 |
| 32°09' | 70°00' | 5419 | 0.52 | 2.33 | 1.21 | 9 | 98 | 170 | 173 |
| 32°03' | 68°06' | 5185 | - | 2.17 | - | - | 99 | 171 | 174 |
| 32°03' | 66°21' | 4807 | 0.47 | 2.44 | 1.15 | 8 | 100 | 172 | 175 |
| 32°16'N | 68°51'W | 5286 | 0.59 | 2.17 | 1.27 | 8 | 101 | 173 | 176 |
| 32°32' | 73°17' | 5200 | 0.43 | 2.80 | 1.19 | 7 | 102 | 174 | 177 |
| 33°56' | 74°26' | 3998 | 0.58 | 2.58 | 1.50 | 8 | 103 | 175 | 178 |
| 36°03' | 72°23' | 3943 | 0.47 | 2.40 | 1.13 | 6 | 104 | 176 | 179 |
| 37°33' | 72°34' | 2967 | 0.44 | 2.27 | 1.00 | 10 | 105 | 177 | 180 |

** The gradients given are based on the two deepest temperature measurements in the sediment.

* Gradient not uniform with depth. Nearly zero in top 7m and 0.96°C/10m in 7m to 13 m interval

Table 2

DEFINITION OF EVALUATION INDEX

| Index | Estimated Error Range | Reliability | Remarks (Typical Diagnostics) |
|---|---|---|---|
| 9-10 | 5-10% | High | Three or more sediment temperatures |
| 7-8 | 10-15% | Good | Only two probes in sediment. Conductivity may be assumed. |
| 5-6 | 15-50% | Fair | Corer moved in sediment. Apparent shunting of thermistors. |
| 4 | >30% | Poor | Only one probe in sediment. |
| <3 | - | Unacceptable | |

## BRIEF DISCUSSION OF RESULTS

Heat Flow Measurements in the Caribbean Sea and Gulf of Mexico: Stations 53-61 are located in the Caribbean Sea basins and these observations have been previously published in Epp et al (1970). When combined with previous observations in the Venezuela Basin, Beata Rise and Colombia Basin, they indicate heat flow very near the world average of 1.5 $\mu$cal/cm$^2$ sec. One value in the Cayman Trough and one in the Yucatan Basin indicate heat flow somewhat higher than the world average.

The measurements in the Gulf of Mexico, stations 62-75 (also published by Epp et al., 1970), show the average heat flow to be about 0.83 $\mu$cal/cm$^2$ sec. When combined with previous values this average is significantly lower than the world average. Two stations over the Sigsbee Knolls, 67 and 68, indicate relatively high heat flow, about 2.5 $\mu$cal/cm$^2$ sec, which is believed to result from the funnelling of heat to the surface by high conductivity diapirs that underlie the Knolls. These relatively high values support the hypothesis that the diapiric structures that form the Sigsbee Knolls are a high conductivity material such as an evaporite.

The Guiana Basin Heat Flow Measurements: Six measurements of heat flow were made in the Guiana Basin, stations 46-52. These stations add to many earlier results in this basin north of the Brazilian Margin.

Stations 48-52 indicate values from 1.3 to 1.7 $\mu$cal/cm$^2$ sec. These are in general agreement with previous values. Stations 46 and 47 have valid sediment temperature measurements; however, the gradients observed are not uniform with depth, suggesting a significant variation of bottom water temperature in the recent past. The heat flows indicated by probes with the greatest separation in the sediment are low, 0.6 and 0.4 $\mu$cal/cm$^2$ sec for 46 and 47, respectively, but they are not believed to be representative of heat flow from the crust.

Measurements in the Brazil Basin: Stations 32 and 38 through 42 form a widely-spaced, N-S line of stations in the floor of the Brazil Basin. The values are quite uniform and not significantly different from the world average or previous measurements in the area.

A cluster of four closely-spaced stations were taken north and east of the Rio Grand Rise in a region of thin sedimentary cover (see Ewing et al., 1973). The values are very variable from 0.44 to 1.96 $\mu$cal/cm$^2$ sec. Such variability is characteristic of regions of thin or patchy sediment and probably reflects the near-surface distortion of heat flow by topography, sedimentary pockets and water circulation.

The relatively low values at stations 22 and 37 are in a region of very thin sedimentary cover on the west flank of the Mid Atlantic Ridge. A very large region on the western flank of the ridge is characterized by low heat flow. The reason for the low flux is not known but may result

from the predominant loss of heat by outflow of water through the nearly barren seafloor surface. Measurements at stations 1 and 3 are in a similar region in the North Atlantic and the values at these stations were also low.

Relatively few of the VEMA 26 measurements were made near the axis of the Mid Atlantic Ridge (stations 4-7 and 20 and 21). Both stations in the South Atlantic, 20 and 21, indicate higher than normal heat flow, whereas the three closely-spaced stations at $30^{o}$N yielded two nearly average values and a third value nearly 1/5 average. This large variation within a short distance is typical of ridge values.

Stations 8-19 are in the eastern basins of the Atlantic. Stations 9 and 10 show below-average heat flow. A tightly spaced group of measurements, 15-19, yields values in good agreement showing the heat flow to be about 1.15 $\mu$cal/cm$^2$ sec. This group of stations is just east of the Sierra-Leone Rise.

Stations 76 through 105 are in the North American Basin. A large group of stations in a relatively small rectangular area, 29-32$^{o}$N by 66-70$^{o}$W (see Figure 1), indicate quite uniform heat flow with an average of about 1.2 $\mu$cal/cm$^2$sec. A single high value station, 91 is an observation of poor quality and probably is not representative of the regional heat flow. Other values within the basin are in good agreement with numerous previous observations.

Water Temperature Profiles: Roughly one half of the stations were taken without a functioning pressure gauge so that no water temperature profiles were measured in the southwestern basins of the Atlantic, the Caribbean and the Gulf of Mexico.

Some of the profiles observed at stations in the eastern basins show the characteristic adiabatic increase of temperature with depth in the deepest water. The most notable feature of profiles in the North American Basin is the thin layer of predominantly Antarctic Bottom Water just above the bottom.

Conductivity: A special feature of the VEMA 26 data is a large number of accurate thermal conductivity measurements. At most stations many observations were made in a single core permitting correlation of conductivity with sedimentary type. In general, the lowest values are measured in diatomaceous oozes $1.8 \times 10^{-3}$ cal/cm $^{o}$C sec; clays have values of about $2.0 \times 10^{-3}$ cal/cm $^{o}$C sec; calcareous oozes and marls of about $2.4 \times 10^{-3}$ cal/cm $^{o}$C sec; and sands frequently have values greater than $3.0 \times 10^{-3}$ cal/cm $^{o}$C sec.

## ACKNOWLEDGEMENTS

This work was supported by the Office of Naval Research, Department of the Navy under Contract N00014-67-A-0108-004 and by the National Science Foundation Grant GA 1412

Chief Scientists during the VEMA 26 cruise were David Epp, Thomas Aitken, Manik Talwani, Vincent Renard, Walter Pitman, III, Dennis Hayes, J. Lamar Worzel and J. Ewing. Measurements were made by R. John Fiske, III throughout the cruise. Captain H. C. Kohler as usual made an important contribution to the success of the scientific program of the cruise.

## REFERENCES

Bullard, E. C., The flow of heat through the floor of the Atlantic Ocean; Proc. Roy. Soc. London, A. 222, p. 408-429, 1954.

Epp, D., P. J. Grim, and M. G. Langseth, Heat flow in the Caribbean and Gulf of Mexico; Jour. Geophys. Res., v. 75, p. 5655-5669, 1970.

Ewing, M., G. Carpenter, C. Windisch, and J. Ewing, Sediment distribution in the oceans: The Atlantic; Geol. Soc. Amer. Bull., v. 84, p. 71-87, 1973.

Gerard, R., M. Langseth, and M. Ewing, Thermal gradient measurements in the water and bottom sediment of the western Atlantic; Jour. Geophys. Res., v. 67, p. 785-803, 1962.

Langseth, M., Techniques of measuring heat flow through the ocean floor; Terrestrial Heat Flow; Geophys. Mono. # 8, Amer. Geophys. Union, p. 58-77, 1965.

Matthews, D. J., Tables of the velocity of sound in pure water and sea water for use in echo-sounding and sound-ranging. Hydrographic Dept. Admiralty. H. M. Stationery Office, London, 2nd edition, 52 pg., 1939.

Wüst, G., Tables for rapid computation of potential temperature; Tech. Rpt., CU-9-61-AT(30-1)1808 Geol., 9 pg., January 1961.

## DATA LISTINGS

Individual listings of the temperature and depth data are given for each station. Depths and corresponding in situ and potential temperatures (computed from Wüst, 1961) are given. At some stations malfunction of either the water probe or pressure gauge obviated any measurements, in such cases the listing of water temperatures is omitted.

Sedimentary conductivity values are listed with the depth of measurement in the sediment.

## GEOTHERMAL DATA PLOTS

The listed data for each station are presented graphically on the page adjacent to the listing. A note about the conductivity presentation: each value is printed at a depth corresponding to the distance from the top of the core to the point of measurement. This usually represents the true depth in the sediment within ± 10 cm.

*

TGRAD STATION V26-001
032.37 N  059.10 W
CRUISE STATION 008

## WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1611 | 4.315 | 4.172 |
| 1814 | 3.977 | 3.816 |
| 2326 | 3.231 | 3.029 |
| 2723 | 2.881 | 2.644 |
| 2996 | 2.921 | 2.650 |
| 3045 | 2.929 | 2.651 |
| 3212 | 2.743 | 2.450 |
| 3592 | 2.505 | 2.173 |
| 3888 | 2.329 | 1.967 |
| 4150 | 2.263 | 1.869 |
| 4236 | 2.256 | 1.851 |
| 4440 | 2.246 | 1.815 |
| 4587 | 2.233 | 1.782 |
| 4582 | 2.250 | 1.798 |
| 4590 | 2.239 | 1.786 |
| 4587 | 2.238 | 1.786 |
| 4686 | 2.242 | 1.776 |
| 4759 | 2.233 | 1.757 |
| 4859 | 2.206 | 1.717 |

## SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.60 | 2.290 |
| 7.16 | 2.495 |
| 12.67 | 2.599 |

## SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.02 |
| 1.00 | 1.99 |
| 2.00 | 1.93 |
| 3.00 | 2.18 |
| 4.00 | 1.94 |
| 5.00 | 1.83 |
| 6.00 | 2.04 |
| 7.00 | 2.10 |
| 8.00 | 1.98 |
| 9.00 | 2.24 |
| 10.00 | 2.13 |
| 10.40 | 1.67 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26 1
SEA FLOOR
PENETRATION (M)
1
5
10
2.02
1.99
1.93
2.18
1.94
1.83
2.04
2.10
1.98
2.24
2.13
1.67
CONDUCTIVITY

TGRAD STATION V26-002
032.42 N  052.35 W
CRUISE STATION 010

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.80 | 2.204 |
| 4.14 | 2.332 |
| 7.34 | 2.435 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.10 | 2.06 |
| 1.00 | 2.01 |
| 2.00 | 2.00 |
| 3.00 | 1.84 |
| 4.00 | 1.76 |
| 5.00 | 1.82 |
| 6.00 | 1.84 |
| 7.00 | 1.84 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
SEA FLOOR
T GRAD STATION
V26 2
2.06
2.01
2.00
1.84
1.76
1.82
1.84
1.84
PENETRATION (M)
0
1
5
CONDUCTIVITY

TGRAD STATION V26-003
032.36 N  052.04 W
CRUISE STATION 011

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1563 | 4.185 | 4.048 |
| 1810 | 3.812 | 3.654 |
| 1876 | 3.862 | 3.697 |
| 2162 | 3.525 | 3.335 |
| 2386 | 3.309 | 3.098 |
| 2624 | 3.114 | 2.881 |
| 2946 | 2.875 | 2.611 |
| 3025 | 2.844 | 2.572 |
| 3257 | 2.664 | 2.369 |
| 3534 | 2.503 | 2.179 |
| 3752 | 2.368 | 2.021 |
| 3923 | 2.329 | 1.963 |
| 4175 | 2.236 | 1.841 |
| 4191 | 2.236 | 1.838 |
| 4432 | 2.172 | 1.746 |
| 4557 | 2.117 | 1.674 |
| 4783 | 2.094 | 1.621 |
| 4886 | 2.092 | 1.605 |
| 4859 | 2.117 | 1.632 |
| 4942 | 2.092 | 1.596 |
| 5107 | 2.125 | 1.605 |
| 5117 | 2.118 | 1.595 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.76 | 2.253 |
| 7.11 | 2.381 |
| 9.35 | 2.367 |
| 12.57 | 2.403 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.69 |
| 1.00 | 1.58 |
| 2.00 | 1.60 |
| 3.00 | 1.48 |
| 4.00 | 1.78 |
| 5.00 | 1.70 |
| 6.00 | 1.50 |
| 7.00 | 1.75 |
| 8.00 | 1.69 |
| 9.00 | 1.90 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26 3
SEA FLOOR
PENETRATION ( M )
0
1
5
10
1.68
1.58
1.60
1.48
1.78
1.70
1.50
1.75
1.69
1.90
CONDUCTIVITY

TGRAD STATION V26-004
029.54 N  045.07 W
CRUISE STATION 018

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1882 | 3.826 | 3.661 |
| 2221 | 3.367 | 3.173 |
| 2718 | 3.000 | 2.758 |
| 2905 | 2.904 | 2.644 |
| 2980 | 2.883 | 2.614 |
| 3126 | 2.791 | 2.508 |
| 3190 | 2.747 | 2.457 |
| 3215 | 2.704 | 2.414 |
| 3241 | 2.704 | 2.409 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.96 | 2.896 |
| 6.48 | 2.929 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.10 |
| 1.00 | 2.35 |
| 2.00 | 2.20 |
| 3.00 | 2.55 |
| 4.00 | 2.44 |
| 5.00 | 2.41 |
| 6.00 | 2.47 |
| 7.00 | 1.78 |
| 8.00 | 2.28 |
| 9.00 | 2.55 |
| 10.00 | 2.58 |
| 11.00 | 2.36 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION ( M )
0
1
2
3
1
5
10
SEA FLOOR
T GRAD STATION
V26 4
2.10
2.35
2.20
2.55
2.44
2.41
2.47
1.78
2.28
2.55
2.58
2.36
CONDUCTIVITY

TGRAD STATION V26-005
029.48 N  045.11 W
CRUISE STATION 019

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1887 | 3.786 | 3.621 |
| 2043 | 3.522 | 3.345 |
| 2209 | 3.355 | 3.164 |
| 2416 | 3.210 | 2.999 |
| 2479 | 3.160 | 2.942 |
| 2473 | 3.177 | 2.960 |
| 2538 | 3.061 | 2.839 |
| 2577 | 2.993 | 2.767 |
| 2600 | 2.984 | 2.757 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.25 |
| 1.00 | 2.32 |
| 2.00 | 2.19 |
| 3.00 | 2.55 |
| 4.00 | 2.43 |
| 5.00 | 2.59 |


TEMPERATURE (C)
1
2
3
4
5
6
7
8
0
1
2
WATER DEPTH (KM)
T GRAD STATION
V26 5
SEA FLOOR
1
5
PENETRATION (M)
2.25
2.32
2.19
2.56
2.43
2.99
CONDUCTIVITY

TGRAD STATION V26-006
030.21 N  044.54 W
CRUISE STATION 020

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1904 | 3.780 | 3.613 |
| 1959 | 3.751 | 3.579 |
| 2061 | 3.578 | 3.397 |
| 2144 | 3.424 | 3.237 |
| 2300 | 3.361 | 3.159 |
| 2377 | 3.251 | 3.043 |
| 2479 | 3.171 | 2.953 |
| 2561 | 3.082 | 2.857 |
| 2649 | 3.047 | 2.813 |
| 2769 | 2.986 | 2.740 |
| 2879 | 2.891 | 2.635 |
| 2983 | 2.809 | 2.543 |
| 3031 | 2.759 | 2.488 |
| 3129 | 2.725 | 2.444 |
| 3294 | 2.631 | 2.331 |
| 3402 | 2.579 | 2.269 |
| 3524 | 2.529 | 2.205 |
| 3586 | 2.499 | 2.168 |
| 3717 | 2.462 | 2.117 |
| 3706 | 2.450 | 2.107 |
| 3767 | 2.433 | 2.081 |
| 3775 | 2.416 | 2.065 |
| 3897 | 2.414 | 2.047 |

SEDIMENT TEMRERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.80 | 2.540 |
| 6.87 | 2.835 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.39 |
| 1.00 | 2.47 |
| 2.00 | 2.61 |
| 3.00 | 2.50 |
| 4.00 | 2.45 |
| 5.00 | 2.66 |
| 6.00 | 2.53 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
PENETRATION ( M )
0
1
2
3
5
T GRAD STATION
V26-006
SEA FLOOR
2.39
2.47
2.61
2.50
2.45
2.66
2.53
CONDUCTIVITY

TGRAD STATION V26-007
030.13 N  045.06 W
CRUISE STATION 021

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1006 | 3.206 | 3.133 |
| 1422 | 3.030 | 2.923 |
| 1804 | 2.908 | 2.766 |
| 1900 | 2.927 | 2.776 |
| 2305 | 2.756 | 2.567 |
| 2729 | 2.624 | 2.390 |
| 3302 | 2.489 | 2.194 |
| 3384 | 2.493 | 2.188 |
| 3352 | 2.486 | 2.184 |
| 3398 | 2.496 | 2.190 |
| 3373 | 2.476 | 2.173 |
| 3581 | 2.469 | 2.140 |
| 3735 | 2.453 | 2.105 |
| 3772 | 2.440 | 2.088 |
| 3822 | 2.435 | 2.079 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.99 | 2.460 |
| 3.97 | 2.625 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.88 |
| 1.00 | 1.94 |
| 1.50 | 1.96 |
| 2.00 | 2.19 |
| 3.00 | 2.00 |
| 4.00 | 2.22 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 7
SEA FLOOR
PENETRATION ( M )
1
5
1.88
1.94
1.96
2.19
2.00
2.22
CONDUCTIVITY

TGRAD STATION V26-008
026.21 N  040.56 W
CRUISE STATION 026

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1595 | 4.449 | 4.305 |
| 1843 | 4.054 | 3.890 |
| 1834 | 4.046 | 3.882 |
| 1838 | 4.068 | 3.904 |
| 1854 | 4.068 | 3.902 |
| 1853 | 4.042 | 3.876 |
| 1860 | 4.024 | 3.858 |
| 1912 | 3.839 | 3.671 |
| 2049 | 3.723 | 3.541 |
| 2313 | 3.245 | 3.045 |
| 2431 | 3.127 | 2.916 |
| 2606 | 2.994 | 2.766 |
| 2702 | 2.957 | 2.719 |
| 3085 | 2.674 | 2.401 |
| 3360 | 2.545 | 2.240 |
| 3534 | 2.461 | 2.139 |
| 3794 | 2.418 | 2.065 |
| 3884 | 2.425 | 2.060 |
| 4233 | 2.414 | 2.003 |
| 4499 | 2.443 | 1.996 |
| 4526 | 2.434 | 1.982 |
| 4487 | 2.404 | 1.960 |
| 4513 | 2.430 | 1.980 |
| 4506 | 2.410 | 1.963 |
| 4585 | 2.430 | 1.970 |
| 4702 | 2.443 | 1.966 |
| 4704 | 2.446 | 1.967 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 0.42 | 2.607 | COOLING |
| 1.95 | 2.703 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.13 |
| 1.00 | 2.27 |
| 1.50 | 2.30 |
| 2.00 | 2.27 |
| 2.50 | 2.56 |
| 3.00 | 2.55 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V 2 6 8
SEA FLOOR
PENETRATION ( M )
1
5
× 2·13
× 2·27
× 2·30
× 2·27
× 2·96
× 2·96
CONDUCTIVITY

TGRAD STATION V26-009
016.38 N  031.06 W
CRUISE STATION 041

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.72 | 3.124 |
| 6.23 | 3.283 |
| 11.26 | 3.512 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.90 |
| 1.00 | 2.11 |
| 2.00 | 2.11 |
| 3.00 | 2.10 |
| 4.00 | 2.07 |
| 5.00 | 2.00 |
| 6.00 | 2.07 |
| 7.00 | 2.32 |
| 8.00 | 2.25 |
| 9.00 | 2.29 |
| 10.00 | 2.27 |
| 11.00 | 2.26 |
| 12.00 | 2.05 |
| 13.00 | 2.18 |
| 13.80 | 2.05 |


TEMPERATURE ( C )
1
2
3
4
5
6
7
8
WATER DEPTH (KM)
0
1
2
3
4
T GRAD STATION
V26-009
SEA FLOOR
PENETRATION ( M )
1
5
10
15
2.11
2.10
2.07
2.00
2.07
2.32
2.25
2.29
2.27
2.26
2.05
2.18
2.05
CONDUCTIVITY

TGRAD STATION V26-010
016.33 N  031.34 W
CRUISE STATION 043

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 968 | 5.979 | 5.887 |
| 1065 | 5.776 | 5.675 |
| 1253 | 5.338 | 5.220 |
| 1453 | 4.934 | 4.799 |
| 1437 | 4.757 | 4.626 |
| 1629 | 4.323 | 4.178 |
| 1858 | 4.366 | 4.196 |
| 2087 | 3.591 | 3.407 |
| 2209 | 3.473 | 3.278 |
| 2189 | 3.450 | 3.259 |
| 2382 | 3.279 | 3.071 |
| 2565 | 3.138 | 2.910 |
| 2703 | 3.055 | 2.815 |
| 2928 | 2.874 | 2.611 |
| 2938 | 2.854 | 2.592 |
| 3236 | 2.696 | 2.402 |
| 3776 | 2.476 | 2.124 |
| 3824 | 2.473 | 2.114 |
| 3871 | 2.456 | 2.092 |
| 3898 | 2.437 | 2.069 |
| 4001 | 2.480 | 2.098 |
| 4161 | 2.431 | 2.029 |
| 4274 | 2.434 | 2.016 |
| 4520 | 2.430 | 1.980 |
| 4615 | 2.421 | 1.957 |
| 4682 | 2.414 | 1.940 |
| 4746 | 2.420 | 1.937 |
| 4818 | 2.410 | 1.917 |
| 4865 | 2.403 | 1.904 |
| 4891 | 2.408 | 1.905 |
| 4885 | 2.401 | 1.898 |
| 5004 | 2.398 | 1.880 |
| 5040 | 2.400 | 1.875 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.73 | 2.507 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.11 |
| 1.00 | 1.95 |
| 2.00 | 2.05 |
| 3.00 | 2.04 |
| 4.00 | 1.70 |
| 5.00 | 1.83 |
| 6.00 | 2.03 |
| 7.00 | 1.85 |
| 8.00 | 1.84 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
0
1
2
3
4
5
1
5
10
T GRAD STATION
V26 10
SEA FLOOR
× 2.11
× 1.96
× 2.05
× 2.04
× 1.70
× 1.83
× 2.03
× 1.85
× 1.84
CONDUCTIVITY

TGRAD STATION V26-011
019.40 N  026.07 W
CRUISE STATION 044

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1163 | 5.942 | 5.828 |
| 1472 | 5.302 | 5.161 |
| 1592 | 4.889 | 4.739 |
| 1756 | 4.354 | 4.194 |
| 2049 | 3.789 | 3.606 |
| 2078 | 3.729 | 3.543 |
| 2312 | 3.453 | 3.247 |
| 2644 | 3.132 | 2.896 |
| 2952 | 2.935 | 2.670 |
| 3260 | 2.681 | 2.385 |
| 3311 | 2.641 | 2.341 |
| 3423 | 2.605 | 2.292 |
| 3770 | 2.457 | 2.105 |
| 3935 | 2.468 | 2.094 |
| 4343 | 2.421 | 1.994 |
| 4414 | 2.456 | 2.019 |
| 4503 | 2.420 | 1.971 |
| 4479 | 2.456 | 2.010 |
| 4549 | 2.464 | 2.007 |
| 4572 | 2.451 | 1.993 |
| 4585 | 2.447 | 1.986 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.10 | 2.673 |
| 6.15 | 2.819 |
| 11.42 | 3.016 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.15 |
| 1.00 | 2.23 |
| 2.00 | 2.31 |
| 3.00 | 2.24 |
| 4.00 | 2.23 |
| 5.00 | 2.47 |
| 6.00 | 2.32 |
| 7.00 | 2.22 |
| 8.00 | 2.40 |
| 9.00 | 2.32 |
| 10.00 | 2.40 |
| 11.00 | 2.22 |
| 12.00 | 2.33 |
| 13.00 | 2.39 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
T GRAD STATION
V26 11
SEA FLOOR
PENETRATION ( M )
1
5
10
15
2.15
2.23
2.31
2.24
2.23
2.47
2.32
2.22
2.40
2.32
2.40
2.22
2.33
2.39
CONDUCTIVITY

TGRAD STATION V26-012
019.17 N  026.07 W
CRUISE STATION 045

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1029 | 5.936 | 5.837 |
| 1143 | 5.729 | 5.619 |
| 1344 | 5.108 | 4.983 |
| 1515 | 4.566 | 4.429 |
| 1696 | 4.156 | 4.006 |
| 1892 | 3.799 | 3.634 |
| 1927 | 3.749 | 3.579 |
| 2114 | 3.492 | 3.308 |
| 2301 | 3.338 | 3.137 |
| 2501 | 3.124 | 2.904 |
| 2815 | 2.917 | 2.667 |
| 3085 | 2.716 | 2.440 |
| 3305 | 2.593 | 2.296 |
| 3319 | 2.602 | 2.302 |
| 3326 | 2.574 | 2.273 |
| 3382 | 2.555 | 2.249 |
| 3570 | 2.470 | 2.144 |
| 3964 | 2.424 | 2.048 |
| 4224 | 2.421 | 2.012 |
| 4248 | 2.429 | 2.016 |
| 4292 | 2.415 | 1.997 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.38 | 2.565 |
| 4.65 | 2.777 |
| 9.92 | 3.089 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.38 |
| 1.00 | 2.45 |
| 2.00 | 2.11 |
| 3.00 | 2.19 |
| 4.00 | 2.21 |
| 5.00 | 2.21 |
| 6.00 | 2.33 |
| 7.00 | 2.22 |
| 8.00 | 2.10 |
| 9.00 | 2.28 |
| 10.00 | 2.32 |
| 11.00 | 2.33 |
| 12.00 | 2.37 |
| 13.00 | 2.39 |
| 14.00 | 2.39 |
| 15.00 | 2.19 |
| 16.00 | 2.21 |
| 17.00 | 2.33 |
| 18.00 | 2.20 |
| 19.00 | 2.33 |
| 20.00 | 2.33 |
| 21.00 | 2.20 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
PENETRATION (M)
1
5
10
15
20
SEA FLOOR
T GRAD STATION
V26 12
2.38
2.45
2.11
2.19
2.21
2.21
2.33
2.22
2.10
2.28
2.32
2.33
2.37
2.39
2.39
2.19
2.21
2.33
2.20
2.33
2.33
2.20
CONDUCTIVITY

TGRAD STATION V26-013
019.17 N  026.07 W
CRUISE STATION 047

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1148 | 8.440 | 8.304 |
| 1235 | 8.130 | 7.984 |
| 1281 | 7.967 | 7.817 |
| 1443 | 6.951 | 6.793 |
| 1569 | 6.086 | 5.923 |
| 1739 | 5.238 | 5.067 |
| 1878 | 4.605 | 4.428 |
| 1922 | 4.467 | 4.288 |
| 2044 | 4.036 | 3.849 |
| 2174 | 3.640 | 3.447 |
| 2379 | 3.250 | 3.041 |
| 2472 | 3.076 | 2.861 |
| 2551 | 2.962 | 2.742 |
| 2594 | 2.925 | 2.700 |
| 2721 | 2.699 | 2.467 |
| 2899 | 2.464 | 2.217 |
| 3026 | 2.308 | 2.050 |
| 3020 | 2.312 | 2.055 |
| 3122 | 2.151 | 1.888 |
| 3313 | 1.938 | 1.660 |
| 3454 | 1.835 | 1.542 |
| 3587 | 1.698 | 1.397 |
| 3729 | 1.612 | 1.298 |
| 3777 | 1.618 | 1.296 |
| 4172 | 1.627 | 1.256 |
| 4199 | 1.595 | 1.223 |
| 4235 | 1.625 | 1.246 |
| 4316 | 1.608 | 1.220 |
| 4352 | 1.612 | 1.220 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.14 |
| 2.00 | 2.15 |
| 4.00 | 2.26 |
| 6.00 | 2.42 |
| 8.00 | 2.28 |
| 10.00 | 2.44 |
| 12.00 | 2.48 |
| 14.00 | 2.47 |
| 16.00 | 2.27 |
| 18.00 | 2.63 |
| 20.00 | 2.26 |
| 22.00 | 2.44 |
| 22.80 | 1.79 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
T GRAD STATION
V26 13
SEA FLOOR
1
5
10
15
20
PENETRATION ( M )
2.14
2.15
2.26
2.42
2.28
2.44
2.48
2.47
2.27
2.63
2.26
2.44
CONDUCTIVITY

TGRAD STATION V26-014
009.34 N  018.11 W
CRUISE STATION 050

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 835 | 8.311 | 8.215 |
| 896 | 7.522 | 7.427 |
| 907 | 7.681 | 7.581 |
| 904 | 7.513 | 7.416 |
| 906 | 7.581 | 7.483 |
| 930 | 7.515 | 7.414 |
| 957 | 7.402 | 7.299 |
| 965 | 7.477 | 7.372 |
| 972 | 7.256 | 7.152 |
| 1083 | 6.840 | 6.727 |
| 1080 | 6.803 | 6.690 |
| 1175 | 6.519 | 6.398 |
| 1328 | 5.931 | 5.798 |
| 1499 | 5.059 | 4.916 |
| 1738 | 4.310 | 4.153 |
| 1754 | 4.234 | 4.078 |
| 2141 | 3.407 | 3.221 |
| 2269 | 3.111 | 2.918 |
| 2377 | 2.927 | 2.724 |
| 2423 | 2.901 | 2.696 |
| 2549 | 2.717 | 2.501 |
| 2645 | 2.552 | 2.330 |
| 2684 | 2.502 | 2.277 |
| 2784 | 2.389 | 2.157 |
| 2824 | 2.381 | 2.144 |
| 2880 | 2.336 | 2.094 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 1.88 | 2.436 | |
| 5.68 | 2.617 | |
| 7.65 | 2.776 | COOLING |
| 10.68 | 2.836 | |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.03 |
| 1.00 | 2.14 |
| 2.00 | 1.91 |
| 3.00 | 2.03 |
| 4.00 | 2.09 |
| 5.00 | 2.03 |
| 6.00 | 1.99 |
| 7.00 | 1.92 |
| 8.00 | 2.07 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
SEA FLOOR
T GRAD STATION
V26 14
2.14
1.91
2.03
2.08
2.03
1.98
1.92
2.07
CONDUCTIVITY

TGRAD STATION V26-015
006.36 N  018.08 W
CRUISE STATION 051

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 785 | 5.884 | 5.811 |
| 915 | 5.170 | 5.088 |
| 946 | 5.085 | 5.000 |
| 946 | 5.043 | 4.960 |
| 1129 | 4.766 | 4.667 |
| 1249 | 4.585 | 4.476 |
| 1366 | 4.389 | 4.270 |
| 1510 | 4.154 | 4.023 |
| 1568 | 4.113 | 3.976 |
| 1829 | 3.769 | 3.611 |
| 2107 | 3.454 | 3.270 |
| 2315 | 3.255 | 3.053 |
| 2466 | 3.111 | 2.896 |
| 2474 | 3.133 | 2.916 |
| 2622 | 2.962 | 2.733 |
| 2782 | 2.856 | 2.612 |
| 2957 | 2.747 | 2.486 |
| 3131 | 2.685 | 2.405 |
| 3272 | 2.620 | 2.325 |
| 3234 | 2.658 | 2.367 |
| 3370 | 2.581 | 2.276 |
| 3508 | 2.540 | 2.218 |
| 3667 | 2.481 | 2.141 |
| 3754 | 2.505 | 2.153 |
| 3944 | 2.448 | 2.074 |
| 4003 | 2.440 | 2.059 |
| 4119 | 2.384 | 1.990 |
| 4384 | 2.329 | 1.901 |
| 4470 | 2.336 | 1.897 |
| 4580 | 2.324 | 1.871 |
| 4660 | 2.313 | 1.848 |
| 4725 | 2.299 | 1.825 |
| 4802 | 2.284 | 1.800 |
| 4894 | 2.312 | 1.815 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.98 | 2.582 |
| 7.63 | 2.862 |
| 12.50 | 3.142 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.84 |
| 1.00 | 1.69 |
| 2.00 | 1.72 |
| 3.00 | 1.72 |
| 4.00 | 1.78 |
| 5.00 | 1.84 |
| 6.00 | 1.81 |
| 7.00 | 1.88 |
| 8.00 | 1.70 |
| 9.00 | 1.67 |
| 10.00 | 1.90 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 15
SEA FLOOR
PENETRATION ( M )
0
1
5
10
* 1.84
* 1.89
* 1.72
* 1.72
* 1.78
* 1.84
* 1.81
* 1.88
* 1.70
* 1.67
* 1.90
CONDUCTIVITY

TGRAD STATION V26-016
005.50 N  017.51 W
CRUISE STATION 053

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 725 | 5.743 | 5.677 |
| 884 | 5.000 | 4.922 |
| 905 | 5.269 | 5.187 |
| 918 | 5.126 | 5.045 |
| 1024 | 4.753 | 4.665 |
| 1047 | 4.697 | 4.607 |
| 1064 | 4.771 | 4.679 |
| 1105 | 4.715 | 4.619 |
| 1150 | 4.682 | 4.582 |
| 1211 | 4.596 | 4.491 |
| 1424 | 4.256 | 4.132 |
| 1437 | 4.217 | 4.092 |
| 1598 | 3.994 | 3.856 |
| 1762 | 3.770 | 3.619 |
| 1960 | 3.526 | 3.358 |
| 2098 | 3.351 | 3.171 |
| 2096 | 3.362 | 3.183 |
| 2453 | 2.990 | 2.779 |
| 2677 | 2.819 | 2.588 |
| 3005 | 2.650 | 2.385 |
| 3225 | 2.556 | 2.269 |
| 3475 | 2.473 | 2.158 |
| 3624 | 2.473 | 2.138 |
| 3740 | 2.421 | 2.074 |
| 3864 | 2.407 | 2.045 |
| 3982 | 2.388 | 2.012 |
| 4318 | 2.289 | 1.871 |
| 4358 | 2.312 | 1.890 |
| 4356 | 2.288 | 1.865 |
| 4492 | 2.309 | 1.868 |
| 4590 | 2.276 | 1.822 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.61 | 2.506 |
| 7.43 | 2.736 |
| 12.38 | 2.916 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.84 |
| 1.00 | 1.91 |
| 2.00 | 1.80 |
| 3.00 | 1.80 |
| 4.00 | 1.91 |
| 5.00 | 1.99 |
| 6.00 | 2.24 |
| 7.00 | 2.23 |
| 8.00 | 2.24 |
| 9.00 | 2.19 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
T GRAD STATION
V26 16
SEA FLOOR
PENETRATION (M)
1
5
10
* 1.84
* 1.91
* 1.80
* 1.80
* 1.91
* 1.99
* 2.24
* 2.23
* 2.24
* 2.19
CONDUCTIVITY

TGRAD STATION V26-017
006.16 N  017.55 W
CRUISE STATION 054

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 582 | 5.769 | 5.717 |
| 782 | 5.073 | 5.006 |
| 789 | 5.111 | 5.043 |
| 850 | 4.941 | 4.868 |
| 1002 | 4.705 | 4.620 |
| 1135 | 4.632 | 4.534 |
| 1308 | 4.362 | 4.250 |
| 1349 | 4.271 | 4.155 |
| 1591 | 3.946 | 3.809 |
| 1849 | 3.631 | 3.473 |
| 2067 | 3.383 | 3.206 |
| 2284 | 3.163 | 2.967 |
| 2269 | 3.197 | 3.001 |
| 2512 | 2.979 | 2.762 |
| 2723 | 2.842 | 2.605 |
| 2854 | 2.788 | 2.536 |
| 2966 | 2.740 | 2.477 |
| 3059 | 2.703 | 2.429 |
| 3091 | 2.692 | 2.416 |
| 3290 | 2.602 | 2.305 |
| 3503 | 2.552 | 2.230 |
| 3909 | 2.436 | 2.067 |
| 4067 | 2.394 | 2.006 |
| 4326 | 2.341 | 1.920 |
| 4447 | 2.334 | 1.898 |
| 4613 | 2.298 | 1.841 |
| 4734 | 2.310 | 1.835 |
| 4802 | 2.305 | 1.821 |
| 4887 | 2.262 | 1.766 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.45 | 2.421 |
| 11.27 | 2.961 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.80 |
| 1.00 | 1.81 |
| 2.00 | 1.80 |
| 3.00 | 1.82 |
| 4.00 | 1.84 |
| 5.00 | 1.99 |
| 6.00 | 2.03 |
| 7.00 | 2.01 |
| 8.00 | 2.03 |
| 9.00 | 2.17 |
| 10.00 | 2.11 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 17
SEA FLOOR
PENETRATION ( M )
1
5
10
× 1.81
× 1.80
× 1.82
× 1.84
× 1.99
× 2.03
× 2.01
× 2.03
× 2.17
× 2.11
CONDUCTIVITY

TGRAD STATION V26-018
006.02 N  018.15 W
CRUISE STATION 055

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 826 | 6.010 | 5.932 |
| 916 | 5.247 | 5.165 |
| 948 | 5.190 | 5.105 |
| 1162 | 4.734 | 4.632 |
| 1216 | 4.897 | 4.788 |
| 1268 | 4.851 | 4.737 |
| 1381 | 4.465 | 4.344 |
| 1428 | 4.402 | 4.276 |
| 1536 | 4.270 | 4.135 |
| 1641 | 4.122 | 3.979 |
| 1727 | 3.934 | 3.783 |
| 1823 | 3.789 | 3.631 |
| 1923 | 3.671 | 3.503 |
| 1952 | 3.647 | 3.477 |
| 2072 | 3.525 | 3.344 |
| 2315 | 3.272 | 3.072 |
| 2554 | 3.041 | 2.818 |
| 2716 | 2.924 | 2.685 |
| 2798 | 2.890 | 2.644 |
| 3033 | 2.740 | 2.469 |
| 3207 | 2.652 | 2.363 |
| 3218 | 2.638 | 2.348 |
| 3214 | 2.655 | 2.365 |
| 3227 | 2.618 | 2.328 |
| 3227 | 2.618 | 2.329 |
| 3226 | 2.633 | 2.343 |
| 3239 | 2.625 | 2.334 |
| 3389 | 2.569 | 2.262 |
| 3623 | 2.500 | 2.166 |
| 3658 | 2.486 | 2.147 |
| 3880 | 2.449 | 2.084 |
| 4341 | 2.335 | 1.914 |
| 4394 | 2.298 | 1.871 |
| 4383 | 2.303 | 1.878 |
| 4564 | 2.260 | 1.812 |
| 4572 | 2.293 | 1.841 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26 18
SEA FLOOR
PENETRATION ( M )
CONDUCTIVITY

TGRAD STATION V26-019
005.50 N  018.05 W
CRUISE STATION 056

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1012 | 4.957 | 4.868 |
| 1094 | 4.803 | 4.708 |
| 1284 | 4.658 | 4.545 |
| 1421 | 4.451 | 4.326 |
| 1557 | 4.250 | 4.112 |
| 1780 | 3.922 | 3.766 |
| 1969 | 3.664 | 3.492 |
| 2319 | 3.303 | 3.100 |
| 3200 | 2.563 | 2.278 |
| 3606 | 2.497 | 2.165 |
| 4216 | 2.331 | 1.927 |
| 4270 | 2.349 | 1.937 |
| 4337 | 2.326 | 1.905 |
| 4528 | 2.298 | 1.852 |
| 4679 | 2.275 | 1.809 |
| 4725 | 2.289 | 1.816 |
| 4787 | 2.289 | 1.806 |
| 4831 | 2.302 | 1.813 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.30 | 2.493 |
| 12.35 | 3.062 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.98 |
| 1.00 | 1.72 |
| 2.00 | 1.81 |
| 3.00 | 1.76 |
| 4.00 | 1.76 |
| 5.00 | 1.87 |
| 6.00 | 1.86 |
| 7.00 | 2.04 |
| 8.00 | 1.99 |
| 9.00 | 2.02 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
PENETRATION ( M )
0
1
5
10
SEA FLOOR
T GRAD STATION
V26 19
× 1.72
× 1.81
× 1.76
× 1.76
× 1.87
× 1.86
× 2.04
× 1.99
× 2.02
CONDUCTIVITY

TGRAD STATION V26-020
005.28 S  011.56 W
CRUISE STATION 058

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 574 | 5.995 | 5.943 |
| 724 | 4.931 | 4.871 |
| 889 | 4.481 | 4.408 |
| 934 | 4.585 | 4.507 |
| 948 | 4.434 | 4.356 |
| 1035 | 4.064 | 3.981 |
| 1243 | 4.236 | 4.130 |
| 1292 | 4.196 | 4.086 |
| 1396 | 4.132 | 4.013 |
| 1429 | 4.125 | 4.003 |
| 1710 | 3.811 | 3.664 |
| 1852 | 3.466 | 3.309 |
| 1896 | 3.500 | 3.338 |
| 2115 | 3.308 | 3.127 |
| 2361 | 2.943 | 2.743 |
| 2585 | 2.805 | 2.585 |
| 2696 | 2.776 | 2.543 |
| 2515 | 2.928 | 2.712 |
| 2687 | 2.775 | 2.542 |
| 2683 | 2.767 | 2.536 |
| 2770 | 2.737 | 2.497 |
| 2876 | 2.684 | 2.434 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 2.20 | 2.738 | |
| 5.40 | 3.088 | |
| 7.46 | 3.209 | |
| 10.52 | 3.579 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.20 |
| 1.00 | 2.02 |
| 2.00 | 1.99 |
| 3.00 | 2.07 |
| 4.00 | 2.13 |
| 5.00 | 1.93 |
| 6.00 | 2.13 |
| 7.00 | 2.16 |
| 8.00 | 1.94 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
TGRAD STATION
V26 20
SEA FLOOR
PENETRATION (M)
1
5
10
*2.20
*2.02
*1.88
*2.07
*2.13
*1.83
*2.13
*2.16
*1.84
CONDUCTIVITY

TGRAD STATION V26-021
011.36 S  015.34 W
CRUISE STATION 059

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 612 | 6.068 | 6.012 |
| 735 | 5.046 | 4.984 |
| 926 | 4.177 | 4.104 |
| 953 | 4.194 | 4.118 |
| 960 | 4.098 | 4.021 |
| 1043 | 4.016 | 3.934 |
| 1126 | 3.949 | 3.858 |
| 1185 | 3.977 | 3.881 |
| 1325 | 4.069 | 3.959 |
| 1354 | 4.038 | 3.924 |
| 1494 | 3.993 | 3.867 |
| 1544 | 3.878 | 3.749 |
| 1723 | 3.568 | 3.423 |
| 1918 | 3.299 | 3.139 |
| 2096 | 3.028 | 2.855 |
| 2232 | 2.889 | 2.704 |
| 2392 | 2.829 | 2.628 |
| 2379 | 2.824 | 2.625 |
| 2558 | 2.743 | 2.526 |
| 2769 | 2.683 | 2.443 |
| 2936 | 2.641 | 2.384 |
| 3146 | 2.546 | 2.267 |
| 3184 | 2.516 | 2.234 |
| 3184 | 2.520 | 2.238 |
| 3236 | 2.470 | 2.184 |
| 3306 | 2.466 | 2.171 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.75 | 2.515 |
| 5.90 | 2.925 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.14 |
| 1.50 | 2.23 |
| 3.00 | 2.24 |
| 4.50 | 2.50 |
| 6.00 | 2.27 |
| 7.50 | 2.31 |
| 8.30 | 2.29 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
PENETRATION ( M )
0
1
2
3
1
5
10
SEA FLOOR
T GRAD STATION
V26-021
2.14
2.23
2.24
2.50
2.27
2.31
2.29
CONDUCTIVITY

TGRAD STATION V26-022
016.16 S  022.15 W
CRUISE STATION 060

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.39 | 1.085 |
| 4.92 | 1.125 |
| 9.85 | 1.194 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.60 |
| 1.50 | 1.65 |
| 3.00 | 1.91 |
| 4.50 | 1.70 |
| 6.00 | 1.69 |
| 7.50 | 1.74 |
| 9.00 | 1.70 |
| 10.50 | 1.58 |

---

TGRAD STATION V26-023
023 58 S  037 57 W
CRUISE STATION 067

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.94 |
| 1.00 | 2.17 |
| 4.00 | 2.19 |
| 7.00 | 2.08 |
| 12.40 | 2.11 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
T GRAD STATION
V26-022
SEA FLOOR
PENETRATION (M)
1
5
10
1.65
1.91
1.70
1.74
1.70
1.58
CONDUCTIVITY

TGRAD STATION V26-024
024 53 S  033 33 W
CRUISE STATION 068

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 947 | 5.378 | 5.293 |
| 959 | 5.322 | 5.236 |
| 1110 | 4.590 | 4.495 |
| 1470 | 4.335 | 4.205 |
| 1804 | 4.507 | 4.339 |
| 1970 | 4.571 | 4.383 |
| 2033 | 4.565 | 4.371 |
| 2086 | 4.578 | 4.377 |
| 2241 | 4.508 | 4.289 |
| 2539 | 4.333 | 4.082 |
| 2844 | 4.165 | 3.880 |
| 3171 | 3.993 | 3.670 |
| 3332 | 3.895 | 3.552 |
| 3347 | 3.910 | 3.565 |
| 3332 | 3.910 | 3.567 |
| 3319 | 3.901 | 3.559 |
| 3298 | 3.928 | 3.589 |
| 3339 | 3.907 | 3.562 |
| 3339 | 3.913 | 3.568 |
| 3323 | 3.921 | 3.579 |
| 3292 | 3.934 | 3.595 |
| 3175 | 3.970 | 3.646 |
| 3153 | 3.980 | 3.659 |
| 3170 | 3.986 | 3.661 |
| 3379 | 3.870 | 3.522 |
| 3649 | 3.532 | 3.158 |
| 3925 | 2.960 | 2.569 |
| 4162 | 2.630 | 2.219 |
| 4227 | 2.618 | 2.199 |
| 4653 | 2.190 | 1.733 |
| 4740 | 2.012 | 1.549 |
| 4774 | 1.983 | 1.516 |
| 4756 | 1.977 | 1.513 |
| 4785 | 1.980 | 1.513 |
| 4769 | 1.983 | 1.517 |
| 4772 | 1.980 | 1.515 |
| 4766 | 1.956 | 1.493 |
| 4802 | 1.674 | 1.220 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.64 |
| 0.60 | 1.67 |
| 0.90 | 1.63 |
| 1.20 | 1.61 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 24
SEA FLOOR
× 1.64
× 1.67
× 1.63
× 1.61
PENETRATION ( M )
1
5
CONDUCTIVITY

TGRAD STATION V26-025
026 42 S  027 52 W
CRUISE STATION 069

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 1.73 |
| 1.00 | 2.58 |
| 1.70 | 2.77 |

TGRAD STATION V26-026
030 52 S  017 51 W
CRUISE STATION 074

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.35 |
| 1.00 | 2.23 |
| 2.00 | 2.42 |
| 3.00 | 2.41 |
| 3.35 | 2.38 |

TGRAD STATION V26-028
028 36 S  020 41 W
CRUISE STATION 077

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.85 |
| 1.00 | 1.74 |
| 1.50 | 1.80 |
| 2.00 | 1.84 |
| 3.00 | 2.09 |
| 4.00 | 2.03 |

TGRAD STATION V26-029
028 29 S  020 26 W
CRUISE STATION 079

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.66 |
| 1.00 | 1.72 |
| 2.00 | 1.68 |
| 3.00 | 1.78 |
| 4.00 | 1.76 |

TGRAD STATION V26-030
028 19 S  020 54 W
CRUISE STATION 080

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.95 |
| 0.60 | 2.05 |
| 1.20 | 1.91 |
| 2.00 | 2.15 |
| 3.20 | 2.24 |
| 4.00 | 2.25 |
| 5.00 | 1.95 |

TGRAD STATION V26-031
025 10 S  025 16 W
CRUISE STATION 082

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.80 |
| 1.00 | 1.90 |
| 2.00 | 1.79 |
| 3.00 | 1.80 |
| 4.00 | 1.93 |
| 4.40 | 1.67 |

TGRAD STATION V26-032
029 18 S  037 16 W
CRUISE STATION 086

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.31 | 1.687 |
| 5.26 | 1.924 |
| 11.62 | 2.213 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.59 |
| 1.00 | 2.30 |
| 2.00 | 2.21 |
| 3.00 | 2.47 |
| 4.00 | 2.47 |
| 5.00 | 2.43 |
| 6.00 | 2.46 |
| 7.00 | 2.29 |
| 7.60 | 2.50 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
T GRAD STATION
V26-032
SEA FLOOR
PENETRATION ( M )
1
5
10
2.30
2.21
2.47
2.47
2.43
2.46
2.29
2.50
CONDUCTIVITY

TGRAD STATION V26-033
028 20 S  026 39 W
CRUISE STATION 089

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.26 | 1.259 |
| 6.23 | 1.315 |
| 9.57 | 1.405 |
| 11.87 | 1.464 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 1.87 |
| 1.00 | 1.87 |
| 2.00 | 1.78 |
| 2.50 | 1.50 |
| 3.00 | 1.83 |
| 4.20 | 1.55 |
| 5.00 | 1.55 |
| 6.00 | 2.04 |
| 7.00 | 2.23 |
| 8.00 | 1.99 |
| 9.00 | 2.06 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM
PENETRATION (M)
0
1
5
10
SEA FLOOR
T GRAD STATION
V26-033
1.87
1.87
1.78
1.50
1.83
1.95
1.95
2.04
2.23
1.98
2.06
CONDUCTIVITY

TGRAD STATION V26-034
028 51 S  026 09 W
CRUISE STATION 091

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.33 | 1.441 |
| 12.20 | 1.959 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 2.01 |
| 1.00 | 2.13 |
| 2.00 | 2.23 |
| 3.00 | 2.17 |
| 4.00 | 2.25 |
| 5.00 | 2.18 |
| 6.00 | 2.25 |
| 7.00 | 2.23 |
| 8.00 | 2.68 |
| 9.00 | 2.00 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
5
T GRAD STATION
V26-034
SEA FLOOR
PENETRATION ( M )
1
5
10
* 2.01
* 2.13
* 2.23
* 2.17
* 2.25
* 2.18
* 2.25
* 2.23
* 2.88
* 2.00
CONDUCTIVITY

TGRAD STATION V26-035
028 32 S  023 42 W
CRUISE STATION 092

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 6.62 | 1.529 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.19 |
| 0.60 | 2.01 |
| 1.00 | 2.22 |
| 1.55 | 2.41 |
| 2.15 | 2.22 |
| 3.00 | 2.07 |
| 5.00 | 2.05 |
| 6.80 | 2.06 |
| 8.20 | 2.07 |

TGRAD STATION V26-036
023 38 S  026 09 W
CRUISE STATION 093

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.95 | 0.770 |
| 3.63 | 0.987 |
| 6.04 | 1.223 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.04 |
| 2.00 | 2.22 |
| 4.20 | 2.17 |
| 6.40 | 2.16 |
| 8.40 | 2.33 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
SEA FLOOR
T GRAD STATION
V26-036
PENETRATION ( M )
0
1
5
10
2.04
2.22
2.17
2.16
2.33
CONDUCTIVITY

TGRAD STATION V26-037
021 06 S  027 37 W
CRUISE STATION 094

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.92 | 0.543 |
| 5.92 | 0.639 |
| 8.77 | 0.685 |
| 11.71 | 0.827 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.89 |
| 1.00 | 1.99 |
| 2.00 | 1.97 |
| 3.20 | 2.15 |
| 3.60 | 1.96 |
| 4.10 | 2.29 |
| 5.00 | 1.95 |
| 5.60 | 2.11 |
| 6.35 | 1.80 |
| 7.20 | 2.03 |
| 7.70 | 1.95 |
| 8.15 | 2.03 |
| 9.00 | 1.95 |
| 10.76 | 2.11 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
0
1
2
3
4
5
10
T GRAD STATION
V26-037
SEA FLOOR
1.89
1.98
1.97
2.15
1.96
2.29
1.95
2.11
1.80
2.03
1.96
2.03
1.98
2.11
CONDUCTIVITY

TGRAD STATION V26-038
019 34 S  032 21 W
CRUISE STATION 096

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.58 | 0.175 |
| 6.95 | 0.425 |
| 9.27 | 0.535 |
| 12.04 | 0.765 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.21 |
| 1.00 | 2.18 |
| 2.00 | 2.35 |
| 2.90 | 2.48 |
| 4.00 | 2.23 |
| 5.00 | 2.23 |
| 6.20 | 2.37 |
| 7.00 | 2.36 |
| 8.00 | 2.37 |
| 9.20 | 2.20 |
| 10.00 | 2.46 |


TEMPERATURE ( C )
-1
0
1
2
3
4
5
6
WATER DEPTH ( KM )
0
1
2
3
4
PENETRATION ( M )
1
5
10
T GRAD STATION
V26-038
SEA FLOOR
2.21
2.18
2.35
2.48
2.23
2.23
2.37
2.36
2.37
2.20
2.46
CONDUCTIVITY

TGRAD STATION V26-039
016 07 S  033 01 W
CRUISE STATION 097

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 3.00 | 0.733 | |
| 6.19 | 0.901 | |
| 9.10 | 0.998 | |
| 12.00 | 1.322 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.06 |
| 1.00 | 1.94 |
| 2.00 | 2.21 |
| 3.20 | 1.97 |
| 4.00 | 2.25 |
| 5.00 | 2.22 |
| 6.50 | 2.25 |
| 7.00 | 2.27 |
| 7.60 | 2.47 |
| 8.30 | 2.36 |
| 9.00 | 2.50 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
0
1
2
3
4
5
10
TGRAD STATION
V26-039
SEA FLOOR
*2.06
*1.94
*2.21
*1.97
*2.25
*2.22
*2.25
*2.27
*2.47
*2.36
*2.50
CONDUCTIVITY

TGRAD STATION V26-040
012 29 S  032 23 W
CRUISE STATION 098

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.00 | 0.145 |
| 9.24 | 0.535 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.12 |
| 1.00 | 2.16 |
| 2.00 | 2.27 |
| 3.00 | 2.14 |
| 4.00 | 2.28 |
| 5.00 | 2.31 |
| 6.00 | 2.21 |
| 7.00 | 2.23 |
| 8.00 | 2.22 |


TEMPERATURE (C)
-1
0
1
2
3
4
5
6
WATER DEPTH (KM)
PENETRATION (M)
0
1
2
3
4
1
5
10
SEA FLOOR
TGRAD STATION
V26-040
*2.12
*2.16
*2.27
*2.14
*2.28
*2.31
*2.21
*2.23
*2.22
CONDUCTIVITY

TGRAD STATION V26-041
006 09 S  031 03 W
CRUISE STATION 101

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.98 | 0.195 |
| 5.97 | 0.395 |
| 8.95 | 0.545 |
| 11.91 | 0.745 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.40 | 2.07 |
| 1.00 | 2.09 |
| 2.00 | 2.14 |
| 3.00 | 2.24 |
| 4.00 | 2.15 |
| 5.00 | 2.21 |
| 6.00 | 2.21 |
| 7.00 | 2.14 |
| 8.00 | 2.26 |
| 9.00 | 2.20 |


TEMPERATURE (C)
-1
0
1
2
3
4
5
6
WATER DEPTH (KM)
0
1
2
3
4
5
T GRAD STATION
V26-041
SEA FLOOR
1
5
10
PENETRATION (M)
* 2.07
* 2.08
* 2.14
* 2.24
* 2.15
* 2.21
* 2.21
* 2.14
* 2.26
* 2.20
CONDUCTIVITY

TGRAD STATION V26-042
002 11 S  031 04 W
CRUISE STATION 102

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.66 | 0.960 |
| 5.88 | 1.174 |
| 9.12 | 1.384 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.31 |
| 0.60 | 2.52 |
| 1.00 | 2.57 |
| 1.95 | 2.18 |
| 2.85 | 2.47 |
| 4.00 | 2.39 |
| 5.00 | 2.35 |
| 6.20 | 2.72 |
| 7.00 | 2.38 |
| 8.00 | 2.33 |
| 8.80 | 2.37 |
| 9.30 | 2.53 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26-042
SEA FLOOR
PENETRATION ( M )
0
1
5
10
2.31
2.52
2.57
2.18
2.47
2.39
2.35
2.72
2.38
2.33
2.37
2.53
CONDUCTIVITY

TGRAD STATION V26-046
000 23 S  039 08 W
CRUISE STATION 106

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.32 | 1.414 |
| 11.98 | 1.654 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.51 |
| 0.95 | 2.39 |
| 2.10 | 2.17 |
| 3.20 | 2.29 |
| 4.00 | 2.31 |
| 5.10 | 2.35 |
| 6.15 | 2.35 |
| 7.00 | 2.31 |
| 8.00 | 2.31 |
| 9.10 | 2.32 |
| 9.40 | 2.37 |
| 10.00 | 2.30 |
| 10.28 | 2.37 |
| 11.10 | 2.35 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
0
1
2
3
4
1
5
10
T GRAD STATION
V26-046
SEA FLOOR
2.51
2.39
2.17
2.29
2.31
2.35
2.35
2.31
2.31
2.32
2.30
2.35
2.37
2.37
CONDUCTIVITY

TGRAD STATION V26-047
000 29 S  039 32 W
CRUISE STATION 107

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.81 | 2.338 |
| 5.48 | 2.420 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.69 |
| 1.00 | 2.26 |
| 2.00 | 1.65 |
| 3.30 | 2.46 |
| 4.00 | 2.47 |
| 5.00 | 2.58 |
| 6.00 | 2.53 |
| 7.00 | 2.36 |
| 8.00 | 2.36 |
| 9.00 | 2.70 |
| 9.40 | 2.25 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
1
5
10
PENETRATION ( M )
T GRAD STATION
V26-047
SEA FLOOR
CONDUCTIVITY
2.26
1.65
2.46
2.47
2.58
2.53
2.36
2.36
2.70
2.25

TGRAD STATION V26-048
000 05 S  041 47 W
CRUISE STATION 108

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.94 | 2.559 |
| 11.51 | 3.027 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.34 |
| 1.00 | 2.44 |
| 2.00 | 2.35 |
| 3.30 | 2.34 |
| 4.20 | 2.28 |
| 5.10 | 2.45 |
| 6.20 | 2.54 |
| 7.10 | 2.34 |
| 8.10 | 2.40 |
| 9.10 | 2.51 |
| 9.95 | 2.62 |


TEMPERATURE (C)
1
2
3
4
5
6
7
8
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-048
SEA FLOOR
2.34
2.44
2.35
2.34
2.28
2.45
2.54
2.34
2.40
2.51
2.62
1
5
10
PENETRATION (M)
CONDUCTIVITY

TGRAD STATION V26-049
000 48 N  043 52 W
CRUISE STATION 109

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.62 | 2.381 |
| 6.85 | 2.757 |
| 10.57 | 2.953 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 2.51 |
| 1.00 | 2.45 |
| 1.80 | 2.25 |
| 3.30 | 2.48 |
| 4.00 | 2.45 |
| 5.00 | 2.40 |
| 6.00 | 2.54 |
| 7.00 | 2.46 |
| 8.00 | 2.54 |
| 9.00 | 2.35 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
T GRAD STATION
V26-049
SEA FLOOR
1
5
10
PENETRATION (M)
2.51
2.46
2.25
2.48
2.45
2.40
2.54
2.46
2.54
2.35
CONDUCTIVITY

TGRAD STATION V26-050
007 28 N  046 40 W
CRUISE STATION 112

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 0.42 | 2.204 | COOLING |
| 6.85 | 2.771 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.39 |
| 1.00 | 2.19 |
| 2.00 | 2.37 |
| 3.10 | 2.25 |
| 4.20 | 2.82 |
| 5.30 | 2.18 |
| 6.30 | 2.12 |
| 6.80 | 2.37 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
T GRAD STATION
V26-050
SEA FLOOR
PENETRATION ( M )
1
5
2.38
2.19
2.37
2.25
2.02
2.18
2.12
2.37
CONDUCTIVITY

TGRAD STATION V26-051
010 39 N  050 00 W
CRUISE STATION 113

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.27 | 0.105 |
| 7.00 | 0.405 |
| 10.95 | 0.685 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.15 |
| 1.00 | 2.10 |
| 2.00 | 2.62 |
| 3.20 | 2.09 |
| 4.10 | 2.32 |
| 5.00 | 2.29 |
| 6.20 | 2.00 |
| 7.00 | 2.45 |
| 8.10 | 3.16 |
| 9.10 | 2.06 |
| 9.70 | 4.53 |


TEMPERATURE (C)
-1
0
1
2
3
4
5
6
WATER DEPTH (KM)
0
1
2
3
4
T GRAD STATION
V26-051
SEA FLOOR
PENETRATION (M)
1
5
10
2.15
2.10
2.62
2.09
2.32
2.29
2.00
2.45
3.16
2.06
4.53
CONDUCTIVITY

TGRAD STATION V26-052
013 02 N  052 58 W
CRUISE STATION 114

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 4.66 | 2.086 |
| 8.91 | 2.403 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.06 |
| 1.00 | 1.99 |
| 2.00 | 2.05 |
| 3.20 | 2.24 |
| 3.90 | 2.24 |
| 5.00 | 2.64 |
| 5.90 | 2.46 |
| 6.90 | 2.28 |
| 7.90 | 2.52 |
| 8.90 | 2.64 |
| 9.60 | 3.81 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
5
T GRAD STATION
V26-052
SEA FLOOR
PENETRATION ( M )
1
5
10
2.05
1.93
2.05
2.24
2.24
2.64
2.46
2.88
2.52
2.64
3.81
CONDUCTIVITY

TGRAD STATION V26-053
014 46 N  069 18 W
CRUISE STATION 123

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.99 | 4.425 |
| 13.39 | 5.030 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.60 | 2.22 |
| 1.20 | 2.31 |
| 2.00 | 2.32 |
| 3.20 | 2.35 |
| 4.00 | 2.31 |
| 5.00 | 2.45 |
| 6.20 | 2.39 |
| 7.00 | 2.36 |
| 8.00 | 2.31 |
| 8.20 | 2.25 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
WATER DEPTH (M)
PENETRATION (M)
0
1
2
3
4
5
10
15
T GRAD STATION
V26-053
SEA FLOOR
2.22
2.31
2.32
2.35
2.31
2.46
2.38
2.36
2.31
2.25
CONDUCTIVITY

TGRAD STATION V26-054
014 27 N  068 33 W
CRUISE STATION 124

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.13 | 0.145 |
| 5.59 | 0.344 |
| 8.13 | 0.410 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.17 |
| 1.00 | 2.16 |
| 2.00 | 2.20 |
| 3.20 | 2.15 |
| 4.00 | 2.32 |
| 5.00 | 2.20 |
| 6.20 | 2.32 |
| 7.00 | 2.25 |
| 8.00 | 2.20 |
| 9.20 | 2.35 |
| 10.00 | 2.38 |
| 10.60 | 2.38 |


TEMPERATURE ( C )
-1
0
1
2
3
4
5
6
WATER DEPTH ( KM )
0
1
2
3
4
T GRAD STATION
V26-054
SEA FLOOR
PENETRATION ( M )
1
5
10
2.17
2.16
2.20
2.15
2.32
2.20
2.32
2.25
2.20
2.35
2.38
2.38
CONDUCTIVITY

TGRAD STATION V26-055
014 26 N  068 46 W
CRUISE STATION 125

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.00 | 4.514 |
| 4.58 | 4.719 |
| 10.64 | 5.065 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.09 |
| 1.00 | 2.05 |
| 2.00 | 2.14 |
| 3.20 | 2.29 |
| 4.20 | 2.29 |
| 5.20 | 2.27 |
| 6.20 | 2.17 |
| 7.20 | 2.27 |
| 8.20 | 2.34 |
| 9.20 | 2.26 |
| 9.80 | 2.27 |


TEMPERATURE (C)
3
4
5
6
7
8
9
10
0
1
2
3
4
WATER DEPTH (KM)
T GRAD STATION
V26-055
SEA FLOOR
1
5
10
PENETRATION (M)
2.08
2.05
2.14
2.23
2.23
2.27
2.17
2.27
2.34
2.26
2.27
CONDUCTIVITY

TGRAD STATION V26-056
014 38 N  070 51 W
CRUISE STATION 126

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.45 | 4.479 |

---

TGRAD STATION V26-057
016 08 N  074 27 W
CRUISE STATION 128

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.25 | 4.213 |
| 3.84 | 4.415 |
| 9.96 | 4.729 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.15 |
| 1.20 | 2.19 |
| 2.20 | 2.28 |
| 3.20 | 2.29 |
| 4.20 | 2.28 |
| 5.10 | 2.36 |
| 6.20 | 2.45 |
| 7.20 | 2.51 |
| 8.40 | 2.65 |
| 9.30 | 2.48 |
| 10.30 | 2.48 |
| 11.20 | 2.56 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
3
1
5
10
PENETRATION (M)
T GRAD STATION
V26-057
SEA FLOOR
2.15
2.19
2.28
2.29
2.28
2.36
2.45
2.51
2.65
2.48
2.48
2.56
CONDUCTIVITY

TGRAD STATION V26-058
017 02 N  071 14 W
CRUISE STATION 129

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.43 | 4.265 |
| 4.44 | 4.486 |
| 7.62 | 4.681 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 2.28 |
| 0.40 | 2.38 |
| 0.67 | 2.10 |
| 0.90 | 2.31 |
| 1.09 | 2.19 |
| 1.20 | 2.14 |
| 1.55 | 2.41 |
| 1.85 | 2.30 |
| 2.13 | 2.46 |
| 2.55 | 2.38 |
| 2.98 | 2.28 |
| 3.30 | 2.44 |
| 4.00 | 2.14 |
| 4.50 | 2.57 |
| 4.90 | 2.57 |
| 5.25 | 2.46 |
| 5.45 | 2.47 |
| 5.77 | 2.44 |
| 6.40 | 2.61 |
| 6.90 | 2.62 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
WATER DEPTH (KM)
T GRAD STATION
V26-058
SEA FLOOR
1
5
PENETRATION (M)
2.28
2.38
2.10
2.31
2.19
2.14
2.41
2.30
2.46
2.38
2.28
2.44
2.14
2.57
2.57
2.46
2.47
2.44
2.61
2.62
CONDUCTIVITY

TGRAD STATION V26-059
018 33 N  079 27 W
CRUISE STATION 130

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.86 | 4.592 |
| 5.58 | 4.825 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.52 |
| 1.20 | 2.43 |
| 2.20 | 2.57 |
| 3.20 | 2.52 |
| 4.20 | 2.64 |
| 5.20 | 2.64 |
| 5.80 | 2.58 |


TEMPERATURE (C)
3
4
5
6
7
8
9
10
WATER DEPTH (KM)
0
1
2
3
4
T GRAD STATION
V26-059
SEA FLOOR
PENETRATION (M)
1
5
2.52
2.43
2.57
2.52
2.64
2.64
2.58
CONDUCTIVITY

TGRAD STATION V26-060
019 00 N  081 02 W
CRUISE STATION 131

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.50 |
| 1.20 | 2.39 |
| 3.80 | 2.39 |
| 5.20 | 2.39 |

TGRAD STATION V26-061
020 27 N  083 22 W
CRUISE STATION 132

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.36 | 4.526 |
| 4.57 | 4.685 |
| 7.67 | 4.894 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.20 |
| 1.20 | 2.54 |
| 2.20 | 2.71 |
| 3.20 | 2.59 |
| 4.00 | 2.64 |
| 5.00 | 2.54 |
| 5.80 | 2.68 |


TEMPERATURE ( C )
3
4
5
6
7
8
9
10
0
1
2
3
WATER DEPTH (KM
PENETRATION ( M )
T GRAD STATION
V26-061
SEA FLOOR
1
5
2.20
2.54
2.71
2.59
2.64
2.54
2.68
CONDUCTIVITY

TGRAD STATION V26-062
023 53 N  085 52 W
CRUISE STATION 134

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.56 | 4.453 |
| 3.21 | 4.514 |
| 6.66 | 4.666 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.30 |
| 1.20 | 2.34 |
| 2.20 | 2.22 |
| 3.20 | 2.30 |
| 4.20 | 2.21 |
| 5.20 | 2.21 |
| 6.20 | 2.24 |
| 7.20 | 2.21 |
| 8.20 | 2.20 |


TEMPERATURE ( C )
2
3
4
5
6
7
8
9
WATER DEPTH ( KM )
0
1
2
3
PENETRATION ( M )
1
5
10
SEA FLOOR
T GRAD STATION
V26-062
× 2·30
× 2·34
× 2·22
× 2·30
× 2·21
× 2·21
× 2·24
× 2·21
× 2·20
CONDUCTIVITY

TGRAD STATION V26-063
025 24 N  086 22 W
CRUISE STATION 135

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 0.36 | 4.437 | COOLING |
| 3.02 | 4.658 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.98 |
| 1.20 | 2.01 |
| 2.20 | 2.02 |
| 3.20 | 2.14 |
| 4.20 | 1.94 |
| 5.20 | 2.41 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-063
SEA FLOOR
1
5
PENETRATION (M)
* 1.98
* 2.01
* 2.02
* 2.14
* 1.94
* 2.41
CONDUCTIVITY

TGRAD STATION V26-064
024 59 N  088 57 W
CRUISE STATION 136

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.61 | 4.519 |
| 4.23 | 4.696 |
| 6.76 | 4.819 |
| 10.31 | 4.930 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.91 |
| 1.20 | 2.08 |
| 2.20 | 2.01 |
| 3.20 | 2.03 |
| 4.20 | 2.10 |
| 5.20 | 2.10 |
| 6.20 | 2.39 |
| 7.20 | 2.29 |
| 8.20 | 2.33 |
| 9.20 | 2.42 |


TEMPERATURE ( C )
3
4
5
6
7
8
9
10
0
1
2
3
WATER DEPTH ( KM )
T GRAD STATION
V26-064
SEA FLOOR
1
5
10
PENETRATION ( M )
* 1.91
* 2.08
* 2.01
* 2.03
* 2.10
* 2.10
* 2.39
* 2.29
* 2.33
* 2.42
CONDUCTIVITY

TGRAD STATION V26-065
022 59 N  092 02 W
CRUISE STATION 137

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.56 | 4.494 |
| 5.77 | 4.747 |
| 8.51 | 4.864 |
| 11.84 | 5.012 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.03 |
| 1.20 | 1.98 |
| 2.20 | 1.92 |
| 3.20 | 1.97 |
| 4.20 | 2.06 |
| 5.20 | 2.04 |
| 6.20 | 2.33 |
| 7.20 | 2.17 |
| 8.20 | 2.15 |
| 9.20 | 2.28 |
| 10.20 | 2.29 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-065
SEA FLOOR
1
5
10
PENETRATION (M)
* 2.03
* 1.98
* 1.92
* 1.97
* 2.06
* 2.04
* 2.33
* 2.17
* 2.15
* 2.28
* 2.29
CONDUCTIVITY

TGRAD STATION V26-066
023 02 N  092 03 W
CRUISE STATION 138

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.96 | 4.543 |
| 5.33 | 4.710 |
| 8.26 | 4.840 |
| 11.41 | 4.943 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.13 |
| 1.20 | 2.13 |
| 2.20 | 2.20 |
| 3.20 | 2.21 |
| 4.20 | 2.16 |
| 5.20 | 2.13 |
| 6.20 | 2.22 |
| 7.20 | 2.25 |
| 8.20 | 2.29 |
| 9.20 | 2.25 |


TEMPERATURE (C)
3
4
5
6
7
8
9
10
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-066
SEA FLOOR
1
5
10
PENETRATION (M)
2.13
2.20
2.21
2.16
2.13
2.22
2.25
2.29
2.25
CONDUCTIVITY

TGRAD STATION V26-067
023 29 N  092 35 W
CRUISE STATION 139

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.22 | 4.484 |
| 3.51 | 4.857 |
| 6.13 | 5.170 |
| 9.61 | 5.604 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.09 |
| 1.20 | 2.12 |
| 2.20 | 2.09 |
| 3.20 | 2.05 |
| 4.20 | 2.08 |
| 5.20 | 2.25 |
| 6.20 | 2.19 |
| 7.20 | 2.19 |
| 8.20 | 2.23 |
| 9.20 | 2.23 |
| 10.20 | 2.23 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-067
SEA FLOOR
1
5
10
PENETRATION (M)
* 2.08
* 2.12
* 2.08
* 2.05
* 2.08
* 2.25
* 2.19
* 2.19
* 2.23
* 2.23
* 2.23
CONDUCTIVITY

TGRAD STATION V26-068
023 27 N  092 36 W
CRUISE STATION 140

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.60 | 4.703 |
| 4.47 | 5.056 |
| 7.69 | 5.411 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.13 |
| 1.20 | 2.42 |
| 2.20 | 2.22 |
| 3.20 | 2.16 |
| 4.20 | 2.24 |
| 5.20 | 2.22 |
| 6.20 | 2.31 |
| 7.20 | 2.29 |
| 8.20 | 2.33 |


TEMPERATURE ( C )
3
4
5
6
7
8
9
10
0
1
2
3
1
5
10
WATER DEPTH ( KM )
PENETRATION ( M )
T GRAD STATION
V26 - 068
SEA FLOOR
2·13
2·42
2·22
2·16
2·24
2·22
2·31
2·29
2·33
CONDUCTIVITY

TGRAD STATION V26-069
025 51 N  092 12 W
CRUISE STATION 141

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.58 | 4.33 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.96 |
| 1.20 | 2.38 |
| 2.20 | 2.41 |
| 3.20 | 2.53 |
| 4.20 | 2.37 |

TGRAD STATION V26-070
025 32 N  092 33 W
CRUISE STATION 142

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.98 | 4.545 |
| 5.88 | 4.651 |
| 8.52 | 4.755 |
| 12.02 | 4.887 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.05 |
| 1.20 | 2.02 |
| 2.20 | 1.94 |
| 3.20 | 2.08 |
| 4.20 | 2.12 |
| 5.20 | 2.04 |
| 6.20 | 2.15 |
| 7.20 | 2.23 |
| 8.20 | 2.40 |


TEMPERATURE ( C )
3
4
5
6
7
8
9
10
0
1
2
3
1
5
10
WATER DEPTH ( KM )
PENETRATION ( M )
T GRAD STATION
V26 - 070
SEA FLOOR
× 2.02
× 1.94
× 2.08
× 2.12
× 2.04
× 2.15
× 2.23
× 2.40
CONDUCTIVITY

TGRAD STATION V26-071
025 53 N  092 17 W
CRUISE STATION 143

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.10 | 4.444 |
| 5.22 | 4.549 |
| 8.20 | 4.687 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.02 |
| 1.20 | 2.15 |
| 2.20 | 2.31 |
| 3.20 | 2.31 |
| 4.20 | 2.35 |
| 5.20 | 2.28 |
| 6.20 | 2.35 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
WATER DEPTH (KM)
T GRAD STATION
V26-071
SEA FLOOR
1
5
10
PENETRATION (M)
2.15
2.31
2.31
2.35
2.28
2.35
CONDUCTIVITY

TGRAD STATION V26-072
023 46 N  093 35 W
CRUISE STATION 144

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.06 | 4.571 |
| 5.37 | 4.720 |
| 8.54 | 4.842 |
| 11.48 | 5.012 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.93 |
| 1.20 | 1.84 |
| 2.20 | 1.87 |
| 3.20 | 2.14 |
| 4.20 | 1.96 |
| 5.20 | 1.91 |
| 6.20 | 2.09 |
| 7.20 | 2.17 |
| 8.20 | 2.14 |
| 9.20 | 2.15 |
| 10.20 | 1.68 |


TEMPERATURE ( C )
3
4
5
6
7
8
9
10
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-072
SEA FLOOR
1
5
10
PENETRATION (M)
x 1.84
x 1.87
x 2.14
x 1.96
x 1.91
x 2.08
x 2.17
x 2.14
x 2.15
x 1.88
CONDUCTIVITY

TGRAD STATION V26-073
024 14 N  091 41 W
CRUISE STATION 145

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.10 | 4.491 |
| 5.06 | 4.586 |
| 8.35 | 4.773 |
| 11.17 | 4.942 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.25 |
| 1.20 | 2.14 |
| 2.20 | 2.84 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
0
1
2
3
WATER DEPTH (KM)
T GRAD STATION
V26-073
SEA FLOOR
× 2.14
× 2.84
1
5
10
PENETRATION (M)
CONDUCTIVITY

TGRAD STATION V26-074
025 50 N  088 08 W
CRUISE STATION 146

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.28 | 4.422 |
| 5.58 | 4.536 |
| 8.85 | 4.609 |
| 11.69 | 4.710 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.42 |
| 1.20 | 2.21 |
| 2.20 | 2.11 |
| 3.20 | 2.33 |
| 4.20 | 2.18 |
| 5.20 | 2.20 |
| 6.20 | 2.12 |
| 7.20 | 2.18 |
| 8.20 | 2.20 |

---

TGRAD STATION V26-075
024 42 N  086 15 W
CRUISE STATION 147

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 1.94 |
| 1.20 | 2.13 |


TEMPERATURE (C)
2
3
4
5
6
7
8
9
WATER DEPTH (KM)
0
1
2
3
PENETRATION (M)
1
5
10
SEA FLOOR
T GRAD STATION
V26-074
× 2.42
× 2.21
× 2.11
× 2.33
× 2.18
× 2.20
× 2.12
× 2.18
× 2.20
CONDUCTIVITY

TGRAD STATION V26-076
030 09 N  076 01 W
CRUISE STATION 150

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 361 | 5.795 | 5.763 |
| 437 | 5.344 | 5.309 |
| 550 | 5.010 | 4.967 |
| 783 | 4.449 | 4.387 |
| 976 | 4.133 | 4.054 |
| 1122 | 3.968 | 3.877 |
| 1214 | 3.916 | 3.817 |
| 1200 | 3.946 | 3.848 |
| 1200 | 3.923 | 3.825 |
| 1330 | 3.849 | 3.740 |
| 1459 | 3.685 | 3.566 |
| 1539 | 3.613 | 3.487 |
| 1560 | 3.556 | 3.429 |
| 1581 | 3.678 | 3.547 |
| 1665 | 3.480 | 3.342 |
| 1771 | 3.423 | 3.276 |
| 1900 | 3.319 | 3.161 |
| 2022 | 3.158 | 2.989 |
| 2191 | 3.030 | 2.848 |
| 2328 | 2.925 | 2.730 |
| 2364 | 2.894 | 2.696 |
| 2387 | 2.900 | 2.697 |
| 2432 | 2.850 | 2.645 |
| 2486 | 2.765 | 2.555 |
| 2553 | 2.780 | 2.563 |
| 2610 | 2.734 | 2.513 |
| 2762 | 2.596 | 2.361 |
| 2954 | 2.530 | 2.275 |
| 3043 | 2.489 | 2.224 |
| 3124 | 2.494 | 2.220 |
| 3261 | 2.454 | 2.165 |
| 3362 | 2.415 | 2.115 |
| 3529 | 2.351 | 2.033 |
| 3649 | 2.325 | 1.993 |
| 3790 | 2.315 | 1.966 |
| 3918 | 2.288 | 1.924 |
| 3977 | 2.298 | 1.925 |
| 4114 | 2.269 | 1.880 |
| 4399 | 2.293 | 1.865 |
| 4490 | 2.266 | 1.828 |
| 4498 | 2.271 | 1.832 |
| 4633 | 2.290 | 1.831 |
| 4679 | 2.275 | 1.809 |
| 4699 | 2.297 | 1.828 |
| 4718 | 2.269 | 1.799 |
| 4739 | 2.276 | 1.802 |
| 4797 | 2.238 | 1.757 |
| 4868 | 2.204 | 1.714 |
| 4877 | 2.262 | 1.767 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
TGRAD STATION
V26-076
SEA FLOOR
CONDUCTIVITY

TGRAD STATION V26-077
027 41 N  074 13 W
CRUISE STATION 151

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1133 | 5.708 | 5.600 |
| 1198 | 5.377 | 5.265 |
| 1211 | 5.213 | 5.101 |
| 1232 | 5.087 | 4.975 |
| 1297 | 4.854 | 4.736 |
| 1375 | 4.548 | 4.427 |
| 1440 | 4.405 | 4.278 |
| 1516 | 4.286 | 4.153 |
| 1530 | 4.211 | 4.078 |
| 1533 | 4.177 | 4.045 |
| 1549 | 4.161 | 4.026 |
| 1611 | 4.045 | 3.905 |
| 1691 | 4.019 | 3.870 |
| 1769 | 3.929 | 3.776 |
| 1826 | 3.872 | 3.712 |
| 1896 | 3.796 | 3.630 |
| 1921 | 3.771 | 3.604 |
| 1968 | 3.713 | 3.540 |
| 2060 | 3.650 | 3.468 |
| 2154 | 3.520 | 3.331 |
| 2360 | 3.322 | 3.115 |
| 2400 | 3.258 | 3.047 |
| 2414 | 3.250 | 3.036 |
| 2455 | 3.210 | 2.994 |
| 2527 | 3.139 | 2.916 |
| 2569 | 3.088 | 2.862 |
| 2605 | 3.039 | 2.809 |
| 2669 | 2.977 | 2.743 |
| 2719 | 2.961 | 2.721 |
| 2783 | 2.902 | 2.657 |
| 2845 | 2.832 | 2.581 |
| 2902 | 2.775 | 2.519 |
| 2967 | 2.701 | 2.440 |
| 2992 | 2.677 | 2.414 |
| 3372 | 2.391 | 2.092 |
| 3374 | 2.383 | 2.084 |
| 3459 | 2.345 | 2.036 |
| 3622 | 2.323 | 1.994 |
| 3845 | 2.266 | 1.911 |
| 3989 | 2.246 | 1.875 |
| 4052 | 2.239 | 1.859 |
| 4157 | 2.256 | 1.861 |
| 4319 | 2.211 | 1.798 |
| 4363 | 2.232 | 1.812 |
| 4331 | 2.223 | 1.808 |
| 4303 | 2.217 | 1.805 |
| 4335 | 2.221 | 1.805 |
| 4415 | 2.206 | 1.779 |
| 4456 | 2.144 | 1.714 |
| 4497 | 2.098 | 1.664 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.82 | 2.232 |
| 4.93 | 2.382 |
| 7.75 | 2.542 |
| 11.04 | 2.703 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.31 |
| 1.20 | 2.23 |
| 2.20 | 2.22 |
| 3.20 | 2.09 |
| 4.20 | 2.23 |
| 5.20 | 2.30 |
| 6.20 | 2.38 |
| 7.20 | 2.36 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
TGRAD STATION
V26-077
SEA FLOOR
PENETRATION (M)
1
5
10
*2.31
*2.23
*2.22
*2.08
*2.23
*2.30
*2.38
*2.36
CONDUCTIVITY

TGRAD STATION V26-078
024 47 N  074 22 W
CRUISE STATION 152

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1320 | 5.226 | 5.102 |
| 1538 | 4.402 | 4.265 |
| 1874 | 3.937 | 3.771 |
| 2031 | 3.835 | 3.653 |
| 2103 | 3.733 | 3.546 |
| 2256 | 3.521 | 3.322 |
| 2374 | 3.427 | 3.214 |
| 1988 | 3.686 | 3.513 |
| 2615 | 3.217 | 2.983 |
| 2863 | 3.026 | 2.767 |
| 3091 | 2.796 | 2.517 |
| 3170 | 2.750 | 2.462 |
| 3145 | 2.759 | 2.475 |
| 3139 | 2.766 | 2.482 |
| 3143 | 2.763 | 2.479 |
| 3130 | 2.755 | 2.473 |
| 3136 | 2.772 | 2.488 |
| 3135 | 2.740 | 2.457 |
| 3358 | 2.673 | 2.365 |
| 3644 | 2.407 | 2.072 |
| 3870 | 2.343 | 1.983 |
| 4053 | 2.313 | 1.930 |
| 4246 | 2.299 | 1.891 |
| 4342 | 2.293 | 1.874 |
| 4560 | 2.291 | 1.842 |
| 4670 | 2.309 | 1.842 |
| 4675 | 2.284 | 1.819 |
| 4811 | 2.290 | 1.805 |
| 4949 | 2.285 | 1.780 |
| 4969 | 2.289 | 1.780 |
| 4927 | 2.295 | 1.792 |
| 4903 | 2.286 | 1.788 |
| 5021 | 2.284 | 1.769 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.80 | 2.284 |
| 4.79 | 2.404 |
| 7.68 | 2.534 |
| 10.90 | 2.674 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.38 |
| 1.20 | 2.21 |
| 2.20 | 2.34 |
| 3.20 | 2.22 |
| 4.20 | 2.16 |
| 5.20 | 2.33 |
| 6.20 | 2.14 |
| 7.20 | 2.36 |
| 8.20 | 2.28 |
| 9.20 | 2.29 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
PENETRATION ( M )
0
1
2
3
4
5
1
5
10
SEA FLOOR
T GRAD STATION
V26 78
× 2.38
× 2.21
× 2.34
× 2.22
× 2.16
× 2.33
× 2.14
× 2.36
× 2.28
× 2.29
CONDUCTIVITY

TGRAD STATION V26-079
024 57 N  073 30 W
CRUISE STATION 153

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1112 | 5.964 | 5.855 |
| 1246 | 5.427 | 5.309 |
| 1603 | 4.230 | 4.088 |
| 1879 | 3.868 | 3.703 |
| 2012 | 3.789 | 3.611 |
| 2012 | 3.747 | 3.569 |
| 2313 | 3.559 | 3.352 |
| 2313 | 3.538 | 3.330 |
| 2580 | 3.323 | 3.092 |
| 2930 | 3.042 | 2.776 |
| 3190 | 2.809 | 2.519 |
| 3539 | 2.592 | 2.264 |
| 3674 | 2.517 | 2.175 |
| 3862 | 2.434 | 2.071 |
| 3892 | 2.376 | 2.013 |
| 4200 | 2.319 | 1.917 |
| 4490 | 2.269 | 1.828 |
| 4763 | 2.275 | 1.796 |
| 4905 | 2.284 | 1.786 |
| 5082 | 2.278 | 1.753 |
| 5106 | 2.251 | 1.724 |
| 5174 | 2.230 | 1.694 |
| 5198 | 2.233 | 1.694 |
| 5201 | 2.226 | 1.687 |
| 5274 | 2.210 | 1.661 |
| 5350 | 2.201 | 1.641 |
| 5346 | 2.188 | 1.630 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 3.45 | 2.579 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.50 | 2.65 |
| 1.20 | 2.46 |
| 2.10 | 3.00 |
| 3.20 | 2.23 |
| 4.00 | 2.21 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26 79
SEA FLOOR
PENETRATION (M)
1
5
2.85
2.46
3.00
2.23
2.21
CONDUCTIVITY

TGRAD STATION V26- 80
24.24 N  74.01 W
CRUISE STATION 154

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1137 | 6.547 | 6.430 |
| 1210 | 6.115 | 5.994 |
| 1319 | 5.114 | 4.993 |
| 1552 | 4.243 | 4.107 |
| 1815 | 3.851 | 3.693 |
| 1879 | 3.763 | 3.600 |
| 1920 | 3.775 | 3.606 |
| 2045 | 3.705 | 3.526 |
| 2194 | 3.539 | 3.346 |
| 2258 | 3.495 | 3.296 |
| 2415 | 3.348 | 3.133 |
| 2648 | 3.118 | 2.881 |
| 2864 | 2.930 | 2.674 |
| 3002 | 2.905 | 2.634 |
| 3174 | 2.821 | 2.530 |
| 3422 | 2.747 | 2.429 |
| 3538 | 2.697 | 2.365 |
| 3594 | 2.584 | 2.250 |
| 3784 | 2.462 | 2.108 |
| 4076 | 2.375 | 1.986 |
| 4317 | 2.369 | 1.948 |
| 4487 | 2.370 | 1.927 |
| 4615 | 2.380 | 1.917 |
| 4581 | 2.397 | 1.940 |
| 4817 | 2.384 | 1.894 |
| 4930 | 2.396 | 1.888 |
| 4954 | 2.377 | 1.867 |
| 4956 | 2.388 | 1.877 |
| 5047 | 2.358 | 1.835 |
| 5137 | 2.309 | 1.775 |
| 5022 | 2.339 | 1.821 |
| 5078 | 2.328 | 1.800 |
| 5117 | 2.303 | 1.773 |
| 5140 | 2.305 | 1.772 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26 80
SEA FLOOR
PENETRATION ( M )
CONDUCTIVITY

TGRAD STATION V26-081
024 23 N  073 42 W
CRUISE STATION 155

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 933 | 6.580 | 6.486 |
| 1138 | 4.854 | 4.752 |
| 1391 | 4.219 | 4.100 |
| 1596 | 3.931 | 3.796 |
| 1759 | 3.846 | 3.694 |
| 1780 | 3.845 | 3.690 |
| 2046 | 3.559 | 3.381 |
| 2309 | 3.349 | 3.146 |
| 2359 | 3.322 | 3.113 |
| 2564 | 3.112 | 2.887 |
| 2716 | 3.042 | 2.800 |
| 2915 | 2.914 | 2.653 |
| 3212 | 2.705 | 2.414 |
| 3325 | 2.627 | 2.325 |
| 3435 | 2.533 | 2.221 |
| 3634 | 2.420 | 2.086 |
| 3660 | 2.448 | 2.111 |
| 3939 | 2.359 | 1.990 |
| 4084 | 2.335 | 1.947 |
| 4164 | 2.355 | 1.956 |
| 4314 | 2.336 | 1.917 |
| 4482 | 2.319 | 1.878 |
| 4615 | 2.323 | 1.865 |
| 4692 | 2.290 | 1.822 |
| 4769 | 2.315 | 1.834 |
| 5004 | 2.319 | 1.805 |
| 5040 | 2.318 | 1.799 |
| 5118 | 2.304 | 1.773 |
| 5194 | 2.269 | 1.730 |
| 5273 | 2.266 | 1.714 |
| 5297 | 2.269 | 1.713 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 2.85 | 2.418 | COOLING |
| 6.05 | 2.628 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 2.39 |
| 1.30 | 2.21 |
| 2.30 | 2.29 |
| 3.30 | 2.27 |
| 4.30 | 2.29 |
| 5.30 | 2.37 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 81
SEA FLOOR
PENETRATION ( M )
0
1
5
× 2.39
× 2.21
× 2.29
× 2.27
× 2.29
× 2.37
CONDUCTIVITY

TGRAD STATION V26-082
024 31 N  073 35 W
CRUISE STATION 156

## WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1020 | 6.352 | 6.250 |
| 1188 | 4.962 | 4.855 |
| 1317 | 4.642 | 4.526 |
| 1424 | 4.431 | 4.306 |
| 1660 | 4.054 | 3.908 |
| 1815 | 3.842 | 3.684 |
| 1813 | 3.845 | 3.687 |
| 1821 | 3.805 | 3.647 |
| 1864 | 3.806 | 3.644 |
| 2054 | 3.600 | 3.421 |
| 2337 | 3.417 | 3.210 |
| 2608 | 3.157 | 2.924 |
| 2768 | 3.039 | 2.791 |
| 2950 | 2.888 | 2.624 |
| 3002 | 2.855 | 2.585 |
| 3054 | 2.842 | 2.565 |
| 3122 | 2.756 | 2.474 |
| 3342 | 2.650 | 2.344 |
| 3495 | 2.554 | 2.234 |
| 3543 | 2.527 | 2.203 |
| 3560 | 2.526 | 2.197 |
| 3547 | 2.527 | 2.201 |
| 3563 | 2.513 | 2.185 |
| 3558 | 2.516 | 2.190 |
| 3520 | 2.530 | 2.207 |
| 3546 | 2.517 | 2.192 |
| 3517 | 2.534 | 2.211 |
| 3548 | 2.508 | 2.183 |
| 3585 | 2.492 | 2.161 |
| 3777 | 2.441 | 2.089 |
| 3968 | 2.401 | 2.026 |
| 3968 | 2.395 | 2.020 |
| 4100 | 2.389 | 1.997 |
| 4311 | 2.352 | 1.934 |
| 4484 | 2.361 | 1.917 |
| 4678 | 2.326 | 1.858 |
| 4892 | 2.334 | 1.834 |
| 4838 | 2.344 | 1.852 |
| 4991 | 2.339 | 1.825 |
| 5119 | 2.295 | 1.763 |
| 5155 | 2.289 | 1.753 |
| 5153 | 2.276 | 1.742 |
| 5219 | 2.279 | 1.734 |
| 5287 | 2.257 | 1.703 |
| 5373 | 2.224 | 1.661 |
| 5335 | 2.238 | 1.680 |
| 5366 | 2.240 | 1.677 |

## SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.65 | 2.730 |

## SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.54 |
| 0.40 | 2.33 |
| 0.60 | 2.34 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
T GRAD STATION
V26 82
SEA FLOOR
* 2.54
* 2.34
* 2.33
PENETRATION (M)
1
5
CONDUCTIVITY

TGRAD STATION V26-083
024 30 N  068 34 W
CRUISE STATION 157

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1725 | 6.463 | 6.276 |
| 1829 | 5.498 | 5.311 |
| 2056 | 4.614 | 4.416 |
| 2374 | 3.993 | 3.769 |
| 2401 | 3.960 | 3.733 |
| 2522 | 3.706 | 3.471 |
| 2714 | 3.460 | 3.207 |
| 2810 | 3.309 | 3.048 |
| 2838 | 3.292 | 3.030 |
| 2949 | 3.180 | 2.907 |
| 3200 | 2.957 | 2.660 |
| 3416 | 2.776 | 2.459 |
| 3518 | 2.693 | 2.365 |
| 3745 | 2.585 | 2.231 |
| 3884 | 2.510 | 2.142 |
| 4108 | 2.417 | 2.023 |
| 4124 | 2.436 | 2.039 |
| 4125 | 2.442 | 2.045 |
| 4149 | 2.421 | 2.021 |
| 4147 | 2.421 | 2.021 |
| 4153 | 2.424 | 2.025 |
| 4150 | 2.414 | 2.013 |
| 4164 | 2.414 | 2.013 |
| 4395 | 2.372 | 1.941 |
| 4549 | 2.342 | 1.891 |
| 4674 | 2.330 | 1.862 |
| 4821 | 2.313 | 1.825 |
| 4964 | 2.297 | 1.789 |
| 4998 | 2.285 | 1.773 |
| 4995 | 2.283 | 1.772 |
| 5133 | 2.255 | 1.723 |
| 5267 | 2.188 | 1.641 |
| 5389 | 2.167 | 1.604 |
| 5534 | 2.151 | 1.565 |
| 5564 | 2.120 | 1.532 |
| 5597 | 2.126 | 1.533 |
| 5514 | 2.177 | 1.594 |
| 5554 | 2.167 | 1.578 |
| 5585 | 2.177 | 1.582 |
| 5657 | 2.164 | 1.559 |
| 5707 | 2.153 | 1.542 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.02 | 2.293 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.30 | 2.27 |
| 0.60 | 2.57 |
| 0.90 | 2.34 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM
PENETRATION ( M )
SEA FLOOR
T GRAD STATION
V26 83
2.27
2.34
2.57
CONDUCTIVITY

TGRAD STATION V26-084
024 29 N  065 18 W
CRUISE STATION 158

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1070 | 6.652 | 6.541 |
| 1272 | 5.688 | 5.565 |
| 1518 | 4.710 | 4.571 |
| 1651 | 4.264 | 4.118 |
| 1731 | 4.180 | 4.026 |
| 1885 | 3.950 | 3.783 |
| 1886 | 3.960 | 3.791 |
| 1997 | 3.738 | 3.562 |
| 2218 | 3.521 | 3.325 |
| 2283 | 3.428 | 3.226 |
| 2320 | 3.368 | 3.164 |
| 2464 | 3.243 | 3.026 |
| 2748 | 2.949 | 2.706 |
| 3101 | 2.718 | 2.440 |
| 3337 | 2.611 | 2.308 |
| 3539 | 2.496 | 2.172 |
| 3726 | 2.415 | 2.071 |
| 3769 | 2.402 | 2.053 |
| 3843 | 2.400 | 2.040 |
| 4144 | 2.348 | 1.951 |
| 4196 | 2.355 | 1.951 |
| 4356 | 2.316 | 1.892 |
| 4471 | 2.302 | 1.864 |
| 4547 | 2.297 | 1.848 |
| 4649 | 2.280 | 1.818 |
| 4679 | 2.267 | 1.802 |
| 4885 | 2.205 | 1.713 |
| 5197 | 2.104 | 1.572 |
| 5541 | 2.117 | 1.532 |
| 5606 | 2.095 | 1.503 |
| 5648 | 2.074 | 1.477 |
| 5529 | 2.118 | 1.535 |
| 5536 | 2.132 | 1.549 |
| 5603 | 2.137 | 1.542 |
| 5705 | 2.133 | 1.523 |
| 5769 | 2.127 | 1.507 |
| 5799 | 2.145 | 1.519 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.75 | 2.147 |
| 4.26 | 2.368 |
| 7.38 | 2.527 |
| 10.44 | 2.737 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.11 |
| 1.20 | 2.20 |
| 2.20 | 2.25 |
| 3.20 | 2.10 |
| 4.20 | 2.53 |
| 5.20 | 2.07 |
| 6.20 | 2.27 |
| 7.20 | 2.23 |
| 8.20 | 2.27 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
PENETRATION (M)
1
5
10
SEA FLOOR
TGRAD STATION
V26 B4
*2.11
*2.20
*2.25
*2.10
*2.53
*2.07
*2.27
*2.23
*2.27
CONDUCTIVITY

TGRAD STATION V26-085
024 28 N  062 30 W
CRUISE STATION 159

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1050 | 6.651 | 6.542 |
| 1287 | 5.376 | 5.255 |
| 1659 | 4.295 | 4.146 |
| 1994 | 3.785 | 3.608 |
| 1984 | 3.756 | 3.581 |
| 2317 | 3.387 | 3.181 |
| 2642 | 3.105 | 2.869 |
| 2809 | 2.980 | 2.730 |
| 3027 | 2.829 | 2.556 |
| 3417 | 2.614 | 2.302 |
| 3591 | 2.554 | 2.221 |
| 3915 | 2.434 | 2.063 |
| 4235 | 2.370 | 1.960 |
| 4416 | 2.344 | 1.911 |
| 4604 | 2.300 | 1.845 |
| 4753 | 2.302 | 1.823 |
| 4967 | 2.250 | 1.744 |
| 5260 | 2.138 | 1.595 |
| 5405 | 2.098 | 1.535 |
| 5557 | 2.096 | 1.510 |
| 5641 | 2.087 | 1.490 |
| 5584 | 2.146 | 1.553 |
| 5697 | 2.118 | 1.509 |
| 5710 | 2.128 | 1.517 |
| 5755 | 2.120 | 1.503 |
| 5837 | 2.114 | 1.484 |
| 5891 | 2.111 | 1.473 |
| 5955 | 2.135 | 1.486 |
| 5846 | 2.151 | 1.517 |
| 5882 | 2.146 | 1.507 |
| 5894 | 2.160 | 1.519 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE | |
|---|---|---|
| 1.97 | 2.206 | |
| 4.69 | 2.396 | |
| 8.15 | 2.933 | COOLING |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.33 |
| 1.20 | 2.54 |
| 2.20 | 2.43 |
| 3.20 | 2.29 |
| 4.20 | 2.53 |
| 5.20 | 3.12 |
| 6.20 | 2.43 |
| 7.20 | 2.31 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
0
1
5
10
SEA FLOOR
TGRAD STATION
V26 85
*2.53
*2.54
*2.43
*2.28
*2.57
*3.12
*2.43
*2.31
CONDUCTIVITY

TGRAD STATION V26-086
027 27 N  065 16 W
CRUISE STATION 160

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1119 | 6.283 | 6.170 |
| 1221 | 5.543 | 5.427 |
| 1403 | 4.982 | 4.852 |
| 1599 | 4.416 | 4.272 |
| 1776 | 4.107 | 3.949 |
| 1761 | 4.121 | 3.964 |
| 1752 | 4.130 | 3.975 |
| 1788 | 4.076 | 3.917 |
| 2012 | 3.732 | 3.554 |
| 2149 | 3.553 | 3.364 |
| 2244 | 3.456 | 3.258 |
| 2341 | 3.322 | 3.117 |
| 2389 | 3.269 | 3.059 |
| 2624 | 3.105 | 2.871 |
| 2632 | 3.089 | 2.856 |
| 2640 | 3.086 | 2.852 |
| 2621 | 3.102 | 2.870 |
| 2625 | 3.106 | 2.874 |
| 2637 | 3.086 | 2.854 |
| 3000 | 2.830 | 2.561 |
| 3249 | 2.705 | 2.409 |
| 3382 | 2.609 | 2.300 |
| 3528 | 2.543 | 2.219 |
| 3484 | 2.576 | 2.256 |
| 3507 | 2.550 | 2.229 |
| 3507 | 2.526 | 2.205 |
| 3748 | 2.460 | 2.111 |
| 3965 | 2.397 | 2.022 |
| 4127 | 2.342 | 1.947 |
| 4355 | 2.315 | 1.891 |
| 4324 | 2.338 | 1.918 |
| 4369 | 2.335 | 1.908 |
| 4380 | 2.321 | 1.894 |
| 4448 | 2.299 | 1.865 |
| 4610 | 2.269 | 1.813 |
| 4695 | 2.286 | 1.818 |
| 4700 | 2.256 | 1.789 |
| 4621 | 2.278 | 1.819 |
| 4618 | 2.291 | 1.834 |
| 4698 | 2.260 | 1.792 |
| 4760 | 2.252 | 1.776 |
| 4794 | 2.240 | 1.759 |
| 4817 | 2.243 | 1.759 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.10 | 2.243 |
| 3.47 | 2.402 |
| 6.51 | 2.602 |
| 9.65 | 2.732 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.03 |
| 1.20 | 2.02 |
| 2.20 | 2.12 |
| 3.20 | 2.09 |
| 4.20 | 2.20 |
| 5.20 | 2.19 |
| 6.20 | 2.18 |
| 7.20 | 2.32 |
| 8.20 | 2.62 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM
PENETRATION ( M )
0
1
2
3
4
5
10
SEA FLOOR
T GRAD STATION
V26 86
2.03
2.02
2.12
2.09
2.20
2.19
2.18
2.32
2.62
CONDUCTIVITY

TGRAD STATION V26-087
029 46 N  069 53 W
CRUISE STATION 161

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1019 | 6.467 | 6.364 |
| 1087 | 5.866 | 5.762 |
| 1294 | 5.397 | 5.274 |
| 1525 | 4.243 | 4.111 |
| 1791 | 3.835 | 3.679 |
| 1783 | 3.829 | 3.675 |
| 1835 | 3.760 | 3.601 |
| 1995 | 3.582 | 3.409 |
| 2117 | 3.447 | 3.263 |
| 2185 | 3.372 | 3.184 |
| 2463 | 3.092 | 2.877 |
| 2738 | 2.829 | 2.591 |
| 3003 | 2.605 | 2.342 |
| 3159 | 2.520 | 2.242 |
| 3457 | 2.420 | 2.108 |
| 3624 | 2.388 | 2.056 |
| 3716 | 2.369 | 2.027 |
| 3842 | 2.384 | 2.026 |
| 4161 | 2.349 | 1.950 |
| 4416 | 2.343 | 1.911 |
| 4679 | 2.297 | 1.831 |
| 4737 | 2.298 | 1.822 |
| 4786 | 2.288 | 1.805 |
| 4767 | 2.264 | 1.786 |
| 4815 | 2.244 | 1.760 |
| 4855 | 2.234 | 1.746 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.92 | 2.275 |
| 7.95 | 2.614 |
| 13.49 | 2.844 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.38 |
| 1.20 | 2.15 |
| 2.20 | 2.33 |
| 3.20 | 2.24 |
| 4.20 | 2.38 |
| 5.20 | 2.45 |
| 6.20 | 2.25 |
| 7.20 | 2.38 |
| 8.20 | 2.38 |
| 9.20 | 2.65 |
| 10.20 | 2.54 |
| 11.20 | 2.43 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
PENETRATION ( M )
0
1
5
10
15
T GRAD STATION
V26 87
SEA FLOOR
2.38
2.15
2.33
2.24
2.38
2.48
2.25
2.38
2.38
2.68
2.54
2.43
CONDUCTIVITY

TGRAD STATION V26-088
031 00 N  067 06 W
CRUISE STATION 162

| WATER TEMPERATURES | | | SEDIMENT TEMPERATURES | |
|---|---|---|---|---|
| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE | DEPTH METERS | TEMPERATURE CENTIGRADE |
| 1154 | 6.639 | 6.519 | 3.95 | 2.460 |
| 1213 | 5.984 | 5.864 | | |
| 1280 | 5.394 | 5.273 | | |
| 1505 | 4.522 | 4.387 | | |
| 1762 | 4.062 | 3.907 | | |
| 1450 | 4.658 | 4.526 | | |
| 1941 | 3.851 | 3.679 | | |
| 2015 | 3.802 | 3.622 | | |
| 2313 | 3.434 | 3.230 | | |
| 2647 | 3.089 | 2.855 | | |
| 2777 | 2.966 | 2.718 | | |
| 3098 | 2.685 | 2.408 | | |
| 3348 | 2.505 | 2.204 | | |
| 3573 | 2.390 | 2.065 | | |
| 3623 | 2.394 | 2.063 | | |
| 3891 | 2.334 | 1.970 | | |
| 4165 | 2.302 | 1.904 | | |
| 4213 | 2.283 | 1.881 | | |
| 4216 | 2.308 | 1.904 | | |
| 4289 | 2.269 | 1.855 | | |
| 4378 | 2.298 | 1.872 | | |
| 4402 | 2.280 | 1.852 | | |
| 4488 | 2.289 | 1.848 | | |
| 4544 | 2.285 | 1.838 | | |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
T GRAD STATION
V26 88
SEA FLOOR
CONDUCTIVITY

TGRAD STATION V26 089
031 01 N  067 07 W
CRUISE STATION 162

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE | | | |
|---|---|---|---|---|---|
| 1041 | 6.821 | 6.712 | 2998 | 2.830 | 2.562 |
| 1090 | 6.161 | 6.053 | 3073 | 2.750 | 2.474 |
| 1146 | 5.746 | 5.637 | 3153 | 2.635 | 2.354 |
| 1236 | 5.539 | 5.421 | 3203 | 2.598 | 2.311 |
| 1293 | 5.140 | 5.020 | 3271 | 2.568 | 2.275 |
| 1377 | 4.871 | 4.746 | 3301 | 2.552 | 2.255 |
| 1437 | 4.699 | 4.569 | 3381 | 2.506 | 2.200 |
| 1468 | 4.615 | 4.482 | 3581 | 2.362 | 2.038 |
| 1526 | 4.496 | 4.359 | 3710 | 2.338 | 1.999 |
| 1591 | 4.361 | 4.218 | 3776 | 2.358 | 2.009 |
| 1682 | 4.214 | 4.065 | 3977 | 2.295 | 1.923 |
| 1734 | 4.146 | 3.993 | 4101 | 2.273 | 1.887 |
| 1811 | 4.054 | 3.894 | 4272 | 2.255 | 1.845 |
| 1877 | 3.979 | 3.811 | 4391 | 2.250 | 1.825 |
| 1891 | 3.938 | 3.770 | 4474 | 2.225 | 1.789 |
| 1911 | 3.923 | 3.755 | 4500 | 2.249 | 1.809 |
| 1913 | 3.892 | 3.723 | 4571 | 2.219 | 1.770 |
| 1928 | 3.954 | 3.782 | 4629 | 2.230 | 1.773 |
| 1926 | 3.930 | 3.759 | 4679 | 2.220 | 1.756 |
| 1965 | 3.868 | 3.693 | 4672 | 2.256 | 1.792 |
| 2007 | 3.855 | 3.675 | 4690 | 2.216 | 1.750 |
| 2065 | 3.780 | 3.596 | 4706 | 2.230 | 1.762 |
| 2127 | 3.704 | 3.514 | 4689 | 2.194 | 1.730 |
| 2175 | 3.647 | 3.454 | 4727 | 2.174 | 1.707 |
| 2328 | 3.463 | 3.256 | 4763 | 2.213 | 1.739 |
| 2343 | 3.437 | 3.230 | 4769 | 2.177 | 1.703 |
| 2430 | 3.387 | 3.170 | | | |
| 2491 | 3.312 | 3.091 | | | |
| 2503 | 3.276 | 3.053 | | | |
| 2555 | 3.227 | 3.000 | | | |
| 2606 | 3.188 | 2.955 | | | |
| 2683 | 3.109 | 2.869 | | | |
| 2728 | 3.059 | 2.816 | | | |
| 2786 | 3.039 | 2.789 | | | |
| 2876 | 2.927 | 2.671 | | | |
| 2953 | 2.887 | 2.621 | | | |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
TGRAD STATION
V26-089
SEA FLOOR
CONDUCTIVITY

TGRAD STATION V26-090
029 57 N  068 56 W
CRUISE STATION 163

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 879 | 6.635 | 6.547 |
| 1141 | 4.982 | 4.880 |
| 1302 | 4.588 | 4.473 |
| 1355 | 4.578 | 4.458 |
| 1519 | 4.302 | 4.168 |
| 1818 | 3.785 | 3.628 |
| 1951 | 3.664 | 3.493 |
| 2156 | 3.495 | 3.308 |
| 2381 | 3.218 | 3.010 |
| 2654 | 3.017 | 2.784 |
| 3071 | 2.666 | 2.394 |
| 3371 | 2.505 | 2.200 |
| 3716 | 2.385 | 2.043 |
| 3964 | 2.362 | 1.989 |
| 4225 | 2.329 | 1.923 |
| 4486 | 2.315 | 1.875 |
| 4412 | 2.317 | 1.887 |
| 4717 | 2.331 | 1.857 |
| 5004 | 2.243 | 1.733 |
| 5061 | 2.256 | 1.736 |
| 5068 | 2.265 | 1.743 |
| 5114 | 2.242 | 1.714 |
| 5133 | 2.238 | 1.709 |
| 5062 | 2.256 | 1.736 |
| 5153 | 2.210 | 1.677 |
| 5223 | 2.184 | 1.644 |
| 5248 | 2.184 | 1.641 |
| 5272 | 2.184 | 1.638 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.72 | 2.188 |
| 6.70 | 2.455 |
| 12.24 | 2.756 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.46 |
| 1.20 | 2.38 |
| 2.20 | 2.15 |
| 3.20 | 2.52 |
| 4.20 | 2.27 |
| 5.20 | 2.38 |
| 6.20 | 2.57 |
| 7.20 | 2.44 |
| 8.20 | 2.60 |
| 9.20 | 2.40 |
| 10.20 | 2.56 |
| 11.20 | 2.38 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
T GRAD STATION
V26 90
SEA FLOOR
PENETRATION (M)
1
5
10
2.46
2.38
2.15
2.52
2.27
2.38
2.57
2.44
2.60
2.40
2.56
2.38
CONDUCTIVITY

TGRAD STATION V26-091
031 20 N  067 47 W
CRUISE STATION 164

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1122 | 7.078 | 6.956 |
| 1089 | 7.111 | 6.993 |
| 1161 | 6.548 | 6.428 |
| 1275 | 5.434 | 5.312 |
| 1474 | 4.739 | 4.605 |
| 1658 | 4.253 | 4.105 |
| 1949 | 3.916 | 3.743 |
| 2151 | 3.727 | 3.534 |
| 2270 | 3.538 | 3.335 |
| 2281 | 3.568 | 3.364 |
| 2431 | 3.375 | 3.157 |
| 2634 | 3.158 | 2.923 |
| 2677 | 3.133 | 2.894 |
| 2836 | 2.997 | 2.743 |
| 3085 | 2.729 | 2.451 |
| 3293 | 2.542 | 2.246 |
| 3345 | 2.513 | 2.212 |
| 3387 | 2.454 | 2.150 |
| 3441 | 2.462 | 2.151 |
| 3666 | 2.381 | 2.046 |
| 3889 | 2.348 | 1.986 |
| 4151 | 2.317 | 1.921 |
| 4355 | 2.276 | 1.855 |
| 4474 | 2.276 | 1.838 |
| 4642 | 2.251 | 1.792 |
| 4740 | 2.250 | 1.776 |
| 4901 | 2.212 | 1.717 |
| 4912 | 2.214 | 1.719 |
| 4905 | 2.218 | 1.723 |
| 4977 | 2.178 | 1.674 |
| 5060 | 2.152 | 1.638 |
| 5082 | 2.142 | 1.625 |
| 5077 | 2.134 | 1.618 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 4.67 | 2.568 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.23 |
| 1.20 | 2.28 |
| 2.20 | 2.32 |
| 3.20 | 2.26 |
| 4.20 | 2.08 |
| 4.80 | 1.92 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 91
SEA FLOOR
PENETRATION ( M )
0
1
5
2.23
2.28
2.32
2.26
2.08
1.92
CONDUCTIVITY

TGRAD STATION V26-092
029 45 N  068 41 W
CRUISE STATION 165

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1102 | 6.779 | 6.664 |
| 1174 | 5.681 | 5.569 |
| 1266 | 5.182 | 5.065 |
| 1331 | 5.019 | 4.895 |
| 1403 | 4.780 | 4.653 |
| 1480 | 4.692 | 4.557 |
| 1545 | 4.557 | 4.417 |
| 1616 | 4.380 | 4.236 |
| 1682 | 4.285 | 4.134 |
| 1771 | 4.049 | 3.892 |
| 1836 | 3.980 | 3.816 |
| 1876 | 3.914 | 3.747 |
| 1927 | 3.855 | 3.684 |
| 1979 | 3.837 | 3.661 |
| 2070 | 3.744 | 3.559 |
| 2179 | 3.630 | 3.435 |
| 2254 | 3.543 | 3.343 |
| 2374 | 3.352 | 3.142 |
| 2415 | 3.312 | 3.098 |
| 2459 | 3.260 | 3.042 |
| 2485 | 3.256 | 3.036 |
| 2521 | 3.212 | 2.988 |
| 2654 | 3.089 | 2.854 |
| 2709 | 3.030 | 2.790 |
| 2807 | 2.940 | 2.690 |
| 2846 | 2.896 | 2.644 |
| 2921 | 2.809 | 2.549 |
| 2965 | 2.756 | 2.493 |
| 3036 | 2.703 | 2.433 |
| 3086 | 2.701 | 2.425 |
| 3181 | 2.637 | 2.351 |
| 3242 | 2.579 | 2.289 |
| 3311 | 2.543 | 2.245 |
| 3383 | 2.523 | 2.217 |
| 3466 | 2.447 | 2.133 |
| 3510 | 2.434 | 2.114 |
| 3637 | 2.375 | 2.042 |
| 3811 | 2.342 | 1.989 |
| 4032 | 2.322 | 1.941 |
| 4296 | 2.284 | 1.871 |
| 4377 | 2.269 | 1.845 |
| 4369 | 2.291 | 1.868 |
| 4526 | 2.289 | 1.845 |
| 4599 | 2.285 | 1.831 |
| 4799 | 2.243 | 1.762 |
| 4908 | 2.213 | 1.717 |
| 5038 | 2.177 | 1.664 |
| 5037 | 2.201 | 1.687 |
| 5043 | 2.197 | 1.683 |
| 5031 | 2.187 | 1.675 |
| 5089 | 2.177 | 1.657 |
| 5193 | 2.137 | 1.604 |
| 5205 | 2.144 | 1.608 |
| 5219 | 2.104 | 1.569 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.30 | 2.088 |
| 2.09 | 2.244 |
| 4.68 | 2.387 |
| 6.35 | 2.487 |
| 10.05 | 2.637 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.06 |
| 1.20 | 1.98 |
| 2.20 | 1.92 |
| 3.20 | 1.83 |
| 4.20 | 1.98 |
| 5.20 | 2.09 |
| 6.20 | 2.36 |
| 7.20 | 2.36 |
| 8.20 | 2.15 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
TGRAD STATION
V26-092
SEA FLOOR
PENETRATION (M)
1
5
10
*2.06
*1.98
*1.92
*1.88
*1.98
*2.08
*2.36
*2.36
*2.15
CONDUCTIVITY

TGRAD STATION V26-093
030 27 N  067 59 W
CRUISE STATION 168

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1054 | 6.602 | 6.494 |
| 1268 | 4.988 | 4.873 |
| 1435 | 4.427 | 4.302 |
| 1710 | 4.031 | 3.881 |
| 1895 | 3.831 | 3.665 |
| 2154 | 3.573 | 3.382 |
| 2399 | 3.323 | 3.111 |
| 2640 | 3.084 | 2.849 |
| 2783 | 2.950 | 2.703 |
| 2970 | 2.771 | 2.507 |
| 3128 | 2.640 | 2.361 |
| 3412 | 2.481 | 2.173 |
| 3705 | 2.374 | 2.032 |
| 3835 | 2.368 | 2.012 |
| 3907 | 2.349 | 1.983 |
| 3982 | 2.296 | 1.924 |
| 4082 | 2.310 | 1.924 |
| 4317 | 2.308 | 1.891 |
| 4595 | 2.309 | 1.854 |
| 4873 | 2.292 | 1.798 |
| 5004 | 2.258 | 1.746 |
| 5036 | 2.236 | 1.721 |
| 5013 | 2.256 | 1.743 |
| 5005 | 2.255 | 1.743 |
| 5031 | 2.243 | 1.729 |
| 5089 | 2.242 | 1.719 |
| 5127 | 2.196 | 1.668 |
| 5150 | 2.177 | 1.648 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.90 | 2.190 |
| 3.87 | 2.361 |
| 5.56 | 2.441 |
| 7.22 | 2.548 |
| 10.98 | 2.770 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.05 |
| 1.20 | 2.03 |
| 2.20 | 2.06 |
| 3.20 | 2.24 |
| 4.20 | 2.35 |
| 5.20 | 2.31 |
| 6.20 | 2.29 |
| 7.20 | 2.16 |
| 8.20 | 2.12 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
5
T GRAD STATION
V26 93
SEA FLOOR
PENETRATION ( M )
1
5
10
2.05
2.03
2.06
2.24
2.35
2.31
2.29
2.16
2.12
CONDUCTIVITY

TGRAD STATION V26-094
029 55 N  068 43 W
CRUISE STATION 169

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1044 | 6.507 | 6.402 |
| 1222 | 5.005 | 4.894 |
| 1420 | 4.493 | 4.366 |
| 1708 | 4.104 | 3.954 |
| 1985 | 3.769 | 3.593 |
| 2319 | 3.390 | 3.185 |
| 2504 | 3.197 | 2.974 |
| 2716 | 3.032 | 2.790 |
| 2954 | 2.809 | 2.546 |
| 3018 | 2.750 | 2.480 |
| 3120 | 2.718 | 2.438 |
| 3511 | 2.484 | 2.164 |
| 3930 | 2.382 | 2.013 |
| 4313 | 2.344 | 1.925 |
| 4579 | 2.321 | 1.867 |
| 4699 | 2.323 | 1.852 |
| 4789 | 2.298 | 1.815 |
| 4781 | 2.321 | 1.838 |
| 4935 | 2.309 | 1.803 |
| 5041 | 2.282 | 1.763 |
| 5055 | 2.280 | 1.760 |
| 5075 | 2.258 | 1.736 |
| 5075 | 2.269 | 1.746 |
| 5091 | 2.255 | 1.730 |
| 5016 | 2.263 | 1.750 |
| 5013 | 2.282 | 1.766 |
| 5004 | 2.296 | 1.782 |
| 5008 | 2.280 | 1.766 |
| 5012 | 2.284 | 1.769 |
| 5057 | 2.252 | 1.733 |
| 5065 | 2.230 | 1.710 |
| 5001 | 2.260 | 1.749 |
| 4986 | 2.259 | 1.750 |
| 5012 | 2.269 | 1.755 |
| 5071 | 2.256 | 1.736 |
| 5147 | 2.210 | 1.680 |
| 5207 | 2.203 | 1.664 |
| 5211 | 2.233 | 1.693 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.35 | 2.255 |
| 0.76 | 2.277 |
| 7.04 | 2.279 |
| 13.22 | 2.872 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.34 |
| 1.20 | 2.20 |
| 2.20 | 2.04 |
| 3.20 | 2.03 |
| 4.20 | 2.05 |
| 5.20 | 2.08 |
| 6.20 | 2.22 |
| 7.20 | 2.21 |
| 8.20 | 2.02 |
| 10.20 | 2.29 |
| 11.20 | 2.34 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
T GRAD STATION
V26 94
SEA FLOOR
PENETRATION (M)
1
5
10
15
2.34
2.20
2.04
2.03
2.05
2.08
2.22
2.21
2.02
2.29
2.34
CONDUCTIVITY

TGRAD STATION V26-095
030 50 N  067 44 W
CRUISE STATION 170

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.12 | 2.291 |
| 4.98 | 2.476 |
| 8.30 | 2.635 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.26 |
| 1.20 | 2.26 |
| 2.20 | 2.18 |
| 3.20 | 2.18 |
| 4.20 | 2.32 |
| 5.20 | 2.30 |
| 6.20 | 2.18 |
| 7.20 | 2.22 |
| 8.20 | 2.18 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
3
4
5
T GRAD STATION
V26-095
SEA FLOOR
1
5
10
PENETRATION ( M )
2.26
2.18
2.18
2.32
2.30
2.18
2.22
2.18
CONDUCTIVITY

TGRAD STATION V26-096
030 05 N  068 17 W
CRUISE STATION 171

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.20 | 2.127 |
| 3.41 | 2.341 |
| 6.32 | 2.505 |
| 9.59 | 2.706 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.14 |
| 1.20 | 2.13 |
| 2.20 | 2.07 |
| 3.20 | 2.07 |
| 4.20 | 2.08 |
| 5.20 | 2.20 |
| 6.20 | 2.31 |
| 7.20 | 2.17 |
| 8.20 | 2.43 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26-096
SEA FLOOR
PENETRATION (M)
0
1
5
10
* 2.14
* 2.13
* 2.07
* 2.07
* 2.08
* 2.20
* 2.31
* 2.17
* 2.43
CONDUCTIVITY

TGRAD STATION V26-097
031 14 N  069 52 W
CRUISE STATION 172

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1069 | 6.866 | 6.755 |
| 1323 | 4.934 | 4.813 |
| 1683 | 4.201 | 4.052 |
| 2010 | 3.816 | 3.638 |
| 2307 | 3.520 | 3.315 |
| 2554 | 3.251 | 3.022 |
| 2829 | 3.052 | 2.797 |
| 3045 | 2.838 | 2.563 |
| 3148 | 2.736 | 2.451 |
| 3359 | 2.592 | 2.288 |
| 3544 | 2.516 | 2.191 |
| 3844 | 2.405 | 2.046 |
| 3993 | 2.396 | 2.017 |
| 4220 | 2.352 | 1.946 |
| 4343 | 2.344 | 1.921 |
| 4514 | 2.323 | 1.878 |
| 4541 | 2.346 | 1.895 |
| 4740 | 2.317 | 1.841 |
| 5021 | 2.289 | 1.773 |
| 5133 | 2.282 | 1.750 |
| 5193 | 2.270 | 1.730 |
| 5238 | 2.232 | 1.687 |
| 5275 | 2.217 | 1.667 |
| 5317 | 2.197 | 1.641 |
| 5321 | 2.210 | 1.654 |
| 5351 | 2.214 | 1.654 |
| 5407 | 2.197 | 1.628 |
| 5424 | 2.164 | 1.595 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.02 | 2.302 |
| 7.38 | 2.634 |
| 13.56 | 2.923 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.49 |
| 1.20 | 2.21 |
| 2.20 | 2.23 |
| 3.20 | 3.22 |
| 4.20 | 2.53 |
| 5.20 | 2.55 |
| 6.20 | 2.19 |
| 7.20 | 2.41 |
| 8.20 | 2.68 |
| 9.20 | 2.38 |
| 10.20 | 2.47 |
| 11.20 | 2.66 |
| 12.20 | 2.30 |
| 13.20 | 2.38 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 97
SEA FLOOR
PENETRATION ( M )
0
1
5
10
15
× 2.21
× 2.23
× 3.22
× 2.53
× 2.55
× 2.19
× 2.41
× 2.38
× 2.47
× 2.66
× 2.30
× 2.38
CONDUCTIVITY

TGRAD STATION V26-098
032 09 N  070 00 W
CRUISE STATION 173

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 710 | 6.988 | 6.916 |
| 743 | 7.042 | 6.967 |
| 774 | 6.440 | 6.365 |
| 1015 | 5.014 | 4.925 |
| 1322 | 4.274 | 4.161 |
| 1588 | 3.966 | 3.829 |
| 1804 | 3.804 | 3.648 |
| 2204 | 3.488 | 3.296 |
| 2297 | 3.305 | 3.105 |
| 2510 | 3.140 | 2.920 |
| 2796 | 2.927 | 2.678 |
| 2851 | 2.867 | 2.613 |
| 2877 | 2.830 | 2.575 |
| 3219 | 2.611 | 2.322 |
| 3335 | 2.554 | 2.253 |
| 3500 | 2.487 | 2.168 |
| 3568 | 2.482 | 2.155 |
| 3880 | 2.389 | 2.026 |
| 4297 | 2.334 | 1.917 |
| 4534 | 2.348 | 1.898 |
| 4777 | 2.338 | 1.855 |
| 4934 | 2.309 | 1.805 |
| 5109 | 2.296 | 1.767 |
| 5152 | 2.300 | 1.765 |
| 5150 | 2.326 | 1.789 |
| 5168 | 2.316 | 1.777 |
| 5230 | 2.293 | 1.746 |
| 5294 | 2.258 | 1.703 |
| 5371 | 2.196 | 1.632 |
| 5383 | 2.199 | 1.634 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.06 | 2.348 |
| 5.50 | 2.533 |
| 8.41 | 2.670 |
| 11.68 | 2.825 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.54 |
| 1.20 | 2.21 |
| 2.20 | 2.32 |
| 3.20 | 2.08 |
| 4.20 | 2.14 |
| 5.20 | 2.21 |
| 6.20 | 2.55 |
| 7.20 | 2.60 |
| 8.20 | 2.39 |
| 9.20 | 2.41 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
T GRAD STATION
V26 98
SEA FLOOR
PENETRATION (M)
1
5
10
2.54
2.21
2.32
2.08
2.14
2.21
2.55
2.60
2.38
2.41
CONDUCTIVITY

TGRAD STATION V26-099
032 03 N  068 06 W
CRUISE STATION 174

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 828 | 6.533 | 6.451 |
| 851 | 6.487 | 6.403 |
| 994 | 6.127 | 6.031 |
| 1127 | 5.042 | 4.941 |
| 1373 | 4.449 | 4.328 |
| 1612 | 4.005 | 3.865 |
| 1923 | 3.766 | 3.598 |
| 2142 | 3.529 | 3.342 |
| 2359 | 3.346 | 3.138 |
| 2546 | 3.171 | 2.946 |
| 2953 | 2.762 | 2.500 |
| 3311 | 2.547 | 2.250 |
| 3609 | 2.420 | 2.089 |
| 4005 | 2.329 | 1.951 |
| 4260 | 2.303 | 1.894 |
| 4510 | 2.276 | 1.834 |
| 4689 | 2.283 | 1.815 |
| 4949 | 2.277 | 1.773 |
| 5054 | 2.231 | 1.713 |
| 5058 | 2.238 | 1.720 |
| 5060 | 2.216 | 1.697 |
| 5071 | 2.212 | 1.693 |
| 5044 | 2.200 | 1.686 |
| 5094 | 2.198 | 1.677 |
| 5175 | 2.170 | 1.638 |
| 5190 | 2.190 | 1.654 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.64 |
| 1.20 | 2.06 |
| 2.20 | 2.09 |
| 3.20 | 2.08 |
| 4.20 | 2.18 |
| 5.20 | 2.20 |
| 6.20 | 2.07 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
T GRAD STATION
V26 99
SEA FLOOR
0
1
5
PENETRATION ( M )
2.64
2.06
2.09
2.08
2.18
2.20
2.07
CONDUCTIVITY

TGRAD STATION V26-100
032 03 N  066 21 W
CRUISE STATION 175

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 994 | 6.273 | 6.175 |
| 1020 | 5.786 | 5.690 |
| 1033 | 5.918 | 5.819 |
| 1045 | 5.880 | 5.778 |
| 1039 | 5.847 | 5.748 |
| 1079 | 5.552 | 5.451 |
| 1181 | 5.201 | 5.093 |
| 1255 | 4.901 | 4.788 |
| 1337 | 4.752 | 4.632 |
| 1383 | 4.502 | 4.380 |
| 1435 | 4.430 | 4.303 |
| 1485 | 4.363 | 4.232 |
| 1505 | 4.376 | 4.243 |
| 1535 | 4.276 | 4.140 |
| 1575 | 4.166 | 4.028 |
| 1617 | 4.100 | 3.960 |
| 1666 | 4.093 | 3.947 |
| 1706 | 4.061 | 3.911 |
| 1774 | 3.992 | 3.835 |
| 1820 | 3.946 | 3.784 |
| 1850 | 3.915 | 3.752 |
| 1891 | 3.905 | 3.738 |
| 1933 | 3.826 | 3.657 |
| 1944 | 3.842 | 3.671 |
| 1995 | 3.762 | 3.585 |
| 2035 | 3.710 | 3.530 |
| 2075 | 3.688 | 3.505 |
| 2132 | 3.605 | 3.416 |
| 2191 | 3.535 | 3.342 |
| 2265 | 3.468 | 3.269 |
| 2356 | 3.362 | 3.154 |
| 2426 | 3.308 | 3.092 |
| 2526 | 3.177 | 2.954 |
| 2611 | 3.105 | 2.875 |
| 2690 | 3.058 | 2.818 |
| 2795 | 2.957 | 2.710 |
| 2907 | 2.854 | 2.594 |
| 2981 | 2.759 | 2.495 |
| 3040 | 2.724 | 2.454 |
| 3116 | 2.644 | 2.367 |
| 3321 | 2.492 | 2.194 |
| 3393 | 2.453 | 2.147 |
| 3482 | 2.389 | 2.076 |
| 3576 | 2.380 | 2.054 |
| 3658 | 2.351 | 2.017 |
| 3851 | 2.302 | 1.947 |
| 4025 | 2.278 | 1.901 |
| 4259 | 2.232 | 1.825 |
| 4444 | 2.201 | 1.772 |
| 4532 | 2.200 | 1.759 |
| 4556 | 2.219 | 1.773 |
| 4592 | 2.210 | 1.759 |
| 4638 | 2.204 | 1.746 |
| 4630 | 2.185 | 1.730 |
| 4608 | 2.223 | 1.769 |
| 4670 | 2.201 | 1.740 |
| 4730 | 2.199 | 1.730 |
| 4741 | 2.207 | 1.736 |
| 4750 | 2.180 | 1.710 |
| 4761 | 2.201 | 1.727 |
| 4783 | 2.178 | 1.701 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 2.19 | 2.441 |
| 5.22 | 2.584 |
| 8.37 | 2.725 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.37 |
| 1.20 | 2.27 |
| 2.20 | 2.37 |
| 3.20 | 2.39 |
| 4.20 | 2.34 |
| 5.20 | 2.51 |
| 6.20 | 2.48 |
| 7.20 | 2.76 |
| 8.20 | 2.62 |
| 9.20 | 2.35 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION (M)
0
1
2
3
4
1
5
10
SEA FLOOR
TGRAD STATION
V26-100
*2.37
*2.27
*2.37
*2.38
*2.34
*2.51
*2.48
*2.76
*2.62
*2.36
CONDUCTIVITY

TGRAD STATION V26-101
032 16 N  068 51 W
CRUISE STATION 176

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.37 | 2.298 |
| 3.78 | 2.415 |
| 6.58 | 2.579 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.24 |
| 1.20 | 2.23 |
| 2.20 | 2.13 |
| 3.20 | 2.15 |
| 4.20 | 2.11 |
| 5.20 | 2.20 |
| 6.20 | 2.04 |
| 7.20 | 2.27 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
T GRAD STATION
V26-101
SEA FLOOR
PENETRATION (M)
1
5
2.24
2.23
2.13
2.15
2.11
2.20
2.04
2.27
CONDUCTIVITY

TGRAD STATION V26-102
032 32 N  073 17 W
CRUISE STATION 177

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 941 | 6.262 | 6.170 |
| 1075 | 5.186 | 5.088 |
| 1228 | 4.823 | 4.713 |
| 1420 | 4.354 | 4.229 |
| 1626 | 4.144 | 4.001 |
| 1872 | 3.917 | 3.751 |
| 2152 | 3.681 | 3.489 |
| 2325 | 3.499 | 3.291 |
| 2561 | 3.304 | 3.074 |
| 2657 | 3.224 | 2.984 |
| 2858 | 3.030 | 2.772 |
| 2874 | 3.032 | 2.771 |
| 3095 | 2.881 | 2.599 |
| 3401 | 2.686 | 2.374 |
| 3687 | 2.496 | 2.153 |
| 3916 | 2.440 | 2.069 |
| 4072 | 2.394 | 2.005 |
| 4187 | 2.375 | 1.973 |
| 4508 | 2.354 | 1.908 |
| 4709 | 2.329 | 1.855 |
| 4925 | 2.317 | 1.815 |
| 5020 | 2.326 | 1.809 |
| 4997 | 2.328 | 1.813 |
| 5005 | 2.312 | 1.798 |
| 4988 | 2.343 | 1.829 |
| 5053 | 2.331 | 1.809 |
| 5109 | 2.315 | 1.785 |
| 5169 | 2.290 | 1.753 |
| 5204 | 2.310 | 1.766 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.48 | 2.330 |
| 6.33 | 2.534 |
| 9.20 | 2.706 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.52 |
| 1.20 | 2.55 |
| 2.20 | 2.45 |
| 3.20 | 2.84 |
| 4.20 | 3.64 |
| 5.20 | 2.84 |
| 6.20 | 2.74 |
| 7.20 | 3.48 |
| 8.20 | 2.60 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
4
5
T GRAD STATION
V26 102
SEA FLOOR
PENETRATION (M)
1
5
10
2.52
2.55
2.45
2.84
3.64
2.84
2.74
3.48
2.80
CONDUCTIVITY

TGRAD STATION V26-103
033 56 N  074 26 W
CRUISE STATION 178

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 1107 | 4.990 | 4.891 |
| 1211 | 4.586 | 4.480 |
| 1301 | 4.440 | 4.328 |
| 1394 | 4.276 | 4.155 |
| 1485 | 4.145 | 4.017 |
| 1549 | 4.019 | 3.887 |
| 1663 | 3.944 | 3.800 |
| 1728 | 3.897 | 3.747 |
| 1890 | 3.881 | 3.714 |
| 1971 | 3.841 | 3.665 |
| 2059 | 3.763 | 3.579 |
| 2159 | 3.628 | 3.436 |
| 2239 | 3.527 | 3.329 |
| 2269 | 3.487 | 3.286 |
| 2256 | 3.496 | 3.296 |
| 2277 | 3.486 | 3.284 |
| 2267 | 3.477 | 3.276 |
| 2269 | 3.513 | 3.310 |
| 2245 | 3.486 | 3.289 |
| 2273 | 3.471 | 3.270 |
| 2323 | 3.434 | 3.229 |
| 2380 | 3.363 | 3.152 |
| 2477 | 3.272 | 3.053 |
| 2553 | 3.220 | 2.993 |
| 2614 | 3.150 | 2.917 |
| 2788 | 2.915 | 2.668 |
| 2864 | 2.815 | 2.561 |
| 2981 | 2.697 | 2.434 |
| 3043 | 2.638 | 2.368 |
| 3139 | 2.560 | 2.282 |
| 3233 | 2.447 | 2.160 |
| 3312 | 2.388 | 2.095 |
| 3425 | 2.329 | 2.025 |
| 3487 | 2.283 | 1.973 |
| 3686 | 2.232 | 1.900 |
| 3773 | 2.238 | 1.894 |
| 3852 | 2.200 | 1.848 |
| 3904 | 2.184 | 1.826 |
| 3914 | 2.196 | 1.835 |
| 3886 | 2.190 | 1.832 |
| 3896 | 2.213 | 1.855 |
| 3926 | 2.166 | 1.805 |
| 3958 | 2.170 | 1.805 |
| 3948 | 2.193 | 1.828 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.37 | 2.336 |
| 3.72 | 2.468 |
| 6.52 | 2.638 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.46 |
| 1.20 | 2.33 |
| 2.20 | 2.58 |
| 3.20 | 2.60 |
| 4.20 | 2.39 |
| 5.20 | 2.84 |
| 6.20 | 2.91 |
| 7.20 | 2.69 |


TEMPERATURE (C)
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
0
1
2
3
TGRAD STATION
V26-103
SEA FLOOR
PENETRATION (M)
1
5
*2.46
*2.33
*2.58
*2.60
*2.38
*2.84
*2.81
*2.68
CONDUCTIVITY

TGRAD STATION V26-104
036 03 N  072 23 W
CRUISE STATION 179

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 898 | 6.572 | 6.482 |
| 899 | 6.487 | 6.398 |
| 959 | 5.776 | 5.686 |
| 1145 | 4.687 | 4.588 |
| 1342 | 4.190 | 4.076 |
| 1655 | 3.892 | 3.750 |
| 1935 | 3.694 | 3.526 |
| 1858 | 3.736 | 3.574 |
| 2367 | 3.273 | 3.066 |
| 2484 | 3.231 | 3.012 |
| 2815 | 2.960 | 2.709 |
| 3156 | 2.607 | 2.325 |
| 3439 | 2.355 | 2.048 |
| 3667 | 2.252 | 1.921 |
| 3807 | 2.227 | 1.880 |
| 3823 | 2.204 | 1.855 |
| 3816 | 2.197 | 1.849 |
| 3823 | 2.200 | 1.852 |
| 3816 | 2.226 | 1.878 |
| 3856 | 2.217 | 1.862 |
| 3911 | 2.227 | 1.865 |
| 3939 | 2.218 | 1.855 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 0.01 | 2.286 |
| 2.03 | 2.322 |
| 5.02 | 2.626 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.17 |
| 1.20 | 2.21 |
| 2.20 | 2.01 |
| 3.20 | 3.06 |
| 4.20 | 2.60 |
| 5.20 | 2.65 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH (KM)
PENETRATION ( M )
T GRAD STATION
V26 104
SEA FLOOR
0
1
5
2.17
2.21
2.01
3.06
2.80
2.65
CONDUCTIVITY

TGRAD STATION V26 105
037 33 N  072 34 W
CRUISE STATION 180

WATER TEMPERATURES

| DEPTH METERS | IN SITU TEMPERATURE | POTENTIAL TEMPERATURE |
|---|---|---|
| 338 | 6.255 | 6.225 |
| 448 | 5.060 | 5.024 |
| 630 | 4.486 | 4.436 |
| 1037 | 4.014 | 3.931 |
| 1247 | 3.839 | 3.738 |
| 1246 | 3.857 | 3.756 |
| 1231 | 3.855 | 3.756 |
| 1232 | 3.862 | 3.763 |
| 1226 | 3.851 | 3.752 |
| 1246 | 3.818 | 3.717 |
| 1561 | 3.642 | 3.513 |
| 1906 | 3.377 | 3.217 |
| 2258 | 3.184 | 2.990 |
| 2523 | 2.993 | 2.775 |
| 2876 | 2.585 | 2.337 |
| 2940 | 2.437 | 2.186 |
| 2948 | 2.430 | 2.178 |
| 2938 | 2.442 | 2.191 |
| 2960 | 2.425 | 2.172 |

SEDIMENT TEMPERATURES

| DEPTH METERS | TEMPERATURE CENTIGRADE |
|---|---|
| 1.40 | 2.486 |
| 3.11 | 2.563 |
| 5.88 | 2.684 |
| 8.03 | 2.805 |
| 10.97 | 2.940 |

SEDIMENT CONDUCTIVITIES

| DEPTH METERS | CONDUCTIVITY CGS |
|---|---|
| 0.20 | 2.20 |
| 1.20 | 2.22 |
| 2.20 | 2.22 |
| 3.20 | 2.12 |
| 4.20 | 2.35 |
| 5.20 | 2.24 |
| 6.20 | 2.26 |
| 7.20 | 2.37 |
| 8.20 | 2.52 |
| 9.20 | 2.49 |


TEMPERATURE ( C )
0
1
2
3
4
5
6
7
WATER DEPTH ( KM )
0
1
2
T GRAD STATION
V26 105
SEA FLOOR
PENETRATION ( M )
1
5
10
× 2.28
× 2.22
× 2.22
× 2.12
× 2.35
× 2.24
× 2.26
× 2.37
× 2.52
× 2.49
CONDUCTIVITY

# REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: Technical Report #7-CU-7-74

2. GOVT ACCESSION NO.:

3. RECIPIENT'S CATALOG NUMBER:

4. TITLE (and Subtitle): Sea Floor Geothermal Measurements from Vema Cruise 26

5. TYPE OF REPORT & PERIOD COVERED: Final Technical Report July 1968-May 1969

6. PERFORMING ORG. REPORT NUMBER: TR #7-CU-7-74

7. AUTHOR(s): Marcus G. Langseth, Jr., Isabel A. Malone, Lois K. Ongley, R. John Fiske III and Charles A. Bookman

8. CONTRACT OR GRANT NUMBER(s): ONR contract N00014-67-A-0108-0004

9. PERFORMING ORGANIZATION NAME AND ADDRESS: Lamont-Doherty Geological Observatory
Palisades, New York 10964

10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: Task order # NR 083-142

11. CONTROLLING OFFICE NAME AND ADDRESS: Dept. of Navy, Office of Naval Research, Code 480, Arlington, Virginia 22217

12. REPORT DATE: January 1974

13. NUMBER OF PAGES: 201

14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office):

15. SECURITY CLASS. (of this report): Unclassified

15a. DECLASSIFICATION/DOWNGRADING SCHEDULE:

16. DISTRIBUTION STATEMENT (of this Report): Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report):

18. SUPPLEMENTARY NOTES: ---

19. KEY WORDS (Continue on reverse side if necessary and identify by block number):
ocean floor heat flow
deep water temperature
sediment conductivity

20. ABSTRACT (Continue on reverse side if necessary and identify by block number):
This report presents geothermal data representing 105 stations in the Atlantic Ocean. This material includes deep water and sediment temperatures as well as conductivity measurements from sediment cores.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

# MANDATORY DISTRIBUTION LIST

## FOR UNCLASSIFIED TECHNICAL REPORTS, REPRINTS, & FINAL REPORTS PUBLISHED BY OCEANOGRAPHIC CONTRACTORS OF THE OCEAN SCIENCE AND TECHNOLOGY DIVISION OF THE OFFICE OF NAVAL RESEARCH (REVISED SEPT 1973)

1 Director of Defense Research and Engineering
Office of the Secretary of Defense
Washington, D. C. 20301
ATTN: Office, Assistant Director (Research)

Office of Naval Research
Arlington, Virginia 22217
3 ATTN: (Code 480)*
1 ATTN: (Code 460)
1 ATTN: (Code 102-0S)

1 Cognizant ONR Branch Office
207 West 24 Street, New York, New York 10011

1 ONR Res. Rep. (if any)
Richard Stevens
LDG0

Director
Naval Research Laboratory
Washington, D. C. 20390
6 ATTN: Library, Code 2029 (ONRL)
6 ATTN: Library, Code 2620

12** Defense Documentation Center
Cameron Station
Alexandria, Virginia 22314

Commander
Naval Oceanographic Office
Washington, D. C. 20390
1 ATTN: Code 1640
1 ATTN: Code 70

1 NODC/NOAA
Building 160
Washington Navy Yard
Rockville, Md. 20852

Total Required - 35 copies

* Add one separate copy of Form DD-1473

** Send 2 completed forms DDC-50 one self addressed back to contractor, the other addressed to ONR, Code 480